



GENERAL USE MIX					
Zoning Category		Commercial	Mixed Use Commercial	Mixed Use Residential	Residential
Zoning Code		СОМ	MUC	MUR	RES
Minimum required number of use type*		1	2 2		1
Use Type per Zoning Category	<b>Commercial</b> Retail, Office	*		✓	×
	<b>Residential</b> Flats, Apartments	×	~	*	
	Hospitality Hotels, Serviced Apartments	✓*	~	✓*	✓
	<b>Complementary</b> (See Permitted Uses Table)	✓	~	✓	✓
Examples		Mall, <i>souq</i> etc.	Commercial with mixed use, strips	Residential with retail/office, hotels	Residential blocks, towers, houses

Uses mix: ☑ Required; ✓ Allowed; ➤ Not allowed

\* Allow to be substituted with Hospitality Use Type

USE SPLIT					
MUC: Mixed Use Commercial	Use	Allowed Floor Location	GFA split		
Commercial (retail/office)	✓*	All	51 % min		
Residential	✓	Tower level	49% max		
Hospitality	✓	All	_		
Complementary (community facilities, sport, etc)	~	Podium level	20% max		

Uses mix: ☑ Required; ✓ Allowed; ➤ Not allowed

\* Allow to be substituted with Hospitality Use Type

40 Mt

SPECIFIC USE REGULATIONS				
Permitted uses	See Permitted Uses Table			
Recommended Uses	Type of commercial in MU city-wide (ie. main offices) a			
Not permitted uses	All other uses not listed in t industry etc)			
Active Frontage Uses	Percentage: For marked-sid Uses			
	Retail, Shops, Food and Be Clinics, Community Centre			

QATAR NATIONAL MASTER PLAN

**BLOCK 18-06** 


(page 4)

*IUC*: Establishments and offices with goods or services that cater and complementary to the cultural facilities in the Downtown area


the General Permitted Uses Table (e.g. garage/car repair/heavy

ides as Active Frontages, min. 60% frontage required as Active

Beverage (F&B), Offices, Services, Hotels, Government Offices, es, Libraries, etc



## **BUILDING ENVELOPE & MASSING ILLUSTRATION**



## **BLOCK FORM REGULATIONS**

Uses (as per Zoning	MUC: Mixed Use Commercia	I	
Plan)			
Height (max)	Ali Bin Amur At Attiya Street	57.2 (max)	
	<ul> <li>G+M+14 (Podium G+M+2)</li> </ul>		
	Al Baladiya & Al Safliya Street	55.7 m (max)	
	• G+14 (Podium G+1)		
FAR (max)	<b>8.20 (</b> along Ali Bin Amur At Attiya Street)	(+ 5 % for corner lots)	
	<b>7.70</b> (along Al Baladiya & Al Safliya Street)		
Building Coverage (max)	75%		
MAIN BUILDINGS			
Typology	Attached-Podium and Towe	er	
Building Placement	Setbacks as per block plan:		
	<ul> <li>Ali Bin Amur At Attiya Street:</li> <li>Podium: 0 m front; 0 m on sides, up to 2/3 plot depth (max.15 m) &amp; 3 m for the remaining 1/3 plot depth;</li> <li>Tower: 5 m front setback; 3m sides;</li> </ul>		
	<ul> <li>Al Baladiya &amp; Al Safliya Street:</li> <li><u>Podium</u>: 0 m front; 0 m on sides, up 2/3 plot depth (max.15 m) &amp; 3 m for th remaining 1/3 plot depth; 6 m rear</li> <li><u>Tower</u>: 5 m front setback; 3m sides; 6 rear</li> </ul>		
Build to Line (a set building line on a plot, measured parallel from the front and/or corner side plot line, where the structure must be located. The building facade must be located on the build-to line)	<ul> <li>Ali Bin Amur At Attiya Street (Collector street): 100% of 0m front setback</li> <li>Al Safliya Street: 90% of 0m front setback</li> <li>Al Baladiya Street (Local street): 60% of 0m front setback (mandatory)</li> </ul>		
Building Depth (max)	10 m (single-aspect tower) 15 m (double-aspect tower) 30 m (tower with atrium) 30 m (podium with integrated parking, for plot depth minimum 45 m)		
Commercial Depth (max)	15 m		
Building Size	<ul> <li>Fine grain;</li> <li>30 m maximum building width or length; or</li> <li>Create 'a height break impression' (e.g. insert 1-2 storey podium in between, variety fasade design based on modular approach) every interval of 30 m, if the building is stretched too long</li> </ul>		

QATAR NATIONAL MASTER PLAN

BLOCK 18-06


Frontage Profile Basement; Half-	Ali Bin Amur At Attiya Street: Arcade/ Colonnade: • 2.5 m minimum width • G+M maximum height • Located as per drawing Al Safliya Street: Colonnades Al Baladiya & Museum Park Street: Fore-court; cantilever/overhang on the ground floor • Allowed			
Basement (undercroft)	<ul> <li>0 m setbacks</li> <li>0.5 m maximum height from street level (undercroft)</li> </ul>			
ANCILLARY BUILDINGS				
Height (max)	G			
Setbacks	<ul> <li>Sides: 0 m, up to 2/3 plot depth (max.15 m) &amp; 3 m for the remaining 1/3 plot depth;</li> <li>Rear: 6 m</li> </ul>			
Building Depth (max)	7.5 m			
SITE PLANNING				
Plot Size for Subdivision	Minimum 800 sqm			
Small Plot	<ul> <li>Minimum plot size of 800 sqm will allow to reach G+14, with provision of 1 undercroft and 2 basements for car parking.</li> <li>For plot sizes &lt; 800 m2: Allowed to be developed up to the maximum parameters set in the plan, subject to possibility of providing required parking on site</li> </ul>			
Open Space (min)	5%			
CCESSIBILITY AND CON	INECTIVITY			
Pedestrian Entry Point	As indicated in the plan			
Vehicle Access Point	As indicated in the plan			
Recommended Public Access on Private Plot	n/a			
PARKING				
Location	Courtyard, rear ground floor, undercroft, basement, integrated with building			
Required Number of Spaces	As per general MSDP Car Parking Regulations			
Parking Waiver	15% reduction in parking requirement: (block is located within 800m radius from metro entry point but within capital city centre boundary)			

.

All new development should follow the regulations. For existing buildings: the setbacks and heights are indicative, for retrofitting /alteration/ modification changes should not exceed the existing massing. . For existing buildings which are still new and/or in good condition, it is ٠

recommended only to add the required front-part of the building (eg. light structure podium) as per indicated set back and build-to-line (which is zero setback) in the plan

#### **BUILDING TYPOLOGY: ATTACHED-PODIUM AND TOWER**






Al Baladiya Street : Local Street Type 1 (Fore-court & landscape) or Local Street Type 2 (Fore-court & Staircase, if there is halfbasement)

### LANDSCAPE & ACTIVATE CHAMFER-SIDE AT THE INTERSECTION






11111111

# RECOMMENDED ARCHITECTURAL STYLES

Early Modern (Doha - Art Deco)\*



# Qatari Contemporary\*

(illustration)





TOP

MIDDLE

BASE

# STANDARDS

ARCHITECTURAL STAND			
Architectural Theme/ Style	<ul> <li>General: Qatari Contemporary</li> <li>Recommended Early Modern (Doha Art Deco) Style for buildings along the streets of: Museum Street; partial segment of Corniche Street (between junction of Ali Bin Amur Al Attiya Str. and junction Jabr Bin Mohammed Str.); A Ring Road</li> <li>Recommended incorporating some Qatari Vernacular Style elements for buildings that face to face with Zone 7 along Jabr Bin Mohammed Str.</li> <li>(* Refer the details to the <u>Townscape &amp;</u> <u>Architectural Guidelines for Main Streets</u> in Qatar)</li> </ul>		
Exterior expression	Clear building expression of a base, a middle and a top		
	• The Base Part (podium): should clearly be expressed (eg. with architrave or corniche ornament, should there is no required setback for tower that can distinguish it from the podium)		
	<ul> <li>The Middle Part:         <ul> <li>Should adopt local rooted architectural language for its element such as openings, shutters, balconies, bays etc.</li> <li>Should reveal the external expression of each storey</li> </ul> </li> </ul>		
	• The Top Part should be marked by parapet or entablature		
Minimum Building separation	<ul> <li>6 m between two buildings with facing non-habitable rooms</li> <li>8 m between two buildings with a facing non-habitable room and a facing habitable room</li> <li>12 m between two buildings with facing habitable rooms</li> </ul>		
Party-Wall / Common Wall	The attached building's parts should have its own wall and foundation and comply to the standard of construction and fire-safety		
Floor height (maximum)	<ul> <li>Slab to slab height (mid-point):</li> <li>Ground floor: 5 m</li> <li>Ground floor with mezzanine: 6.5 m</li> <li>Typical floors (residential and other): 3.50 m</li> <li>Ground floor ancillary building: 3.50 n</li> </ul>		
Building Orientation	<ul> <li>All the fasade's elements (windows, doors, balcony, bay window, etc) should respect the streets based on their hierarchy.</li> </ul>		

QATAR NATIONAL MASTER PLAN

**BLOCK 18-06** 

	Drimany facado should ariantato to the				
	<ul> <li>Primary fasade should orientate to the highway /expressway/ collector/ arterial streets.</li> </ul>				
Active frontage features	Entrances, <i>madkhal</i> , lobbies, window openings, arcades, porches etc				
Active chamfer at the intersection	The chamfer side should be activated by providing main access for people and designing active frontage/fasade or small landscaped area with public facilities such as benches, public art, small lawn area, etc				
Building Material	<ul> <li>Avoid excessive use of glass-wall</li> <li>Use the low environmental impact materials, that conform to ISO 14025, 14040, 14044, and EN 15804 or ISO 21930</li> </ul>				
Window-to-Wall Ratios	Refer to the diagrams				
LANDSCAPE STANDARD					
Forecourt	For buildings along the secondary streets, the forecourts should have small green space for landscape				
Barrier/fences	Street side: not allowed Sides and rear: transparent where possible; maximum height 2.5m				
Green Roof	50% area of the podium and the roof-top should be landscaped with dominant soft- scape (trees, plants, urban farming etc)				
ACCESSIBILITY STANDAR	RD				
Pedestrian access	<ul> <li>Main building entrances should be oriented to the side indicated on the plan.</li> <li>Pedestrian Access on the plan indicates the side for main pedestrian access, not the approximate location</li> </ul>				
Vehicle egress and in- gress	<ul> <li>Main Vehicular Access on the plan indicates the side and approximate location of the access, subject to site planning and transportation constraints.</li> </ul>				
SIGNAGE					
Style	Signage should be an integral part of the building fasade without background.				
	PROPERTY 1				

Cornice to mark podium

MON WAL


PARTY WA

### WINDOW-TO-WALL RATIOS




40-50% 30-40%

# **PARKING FORM & LOCATION OPTION**



#### Rear Parking Courtyard



Underground Parking

Integrated Podium Parking

April Days

April 10

Undercroft Parking-half basement

# INCENTIVE

#### **Incentive Scheme**

Provision of **Privately Owned Public Space – POPS** such *sikka*, pedestrian walkway, public plaza, pocket garden, and Community Facility: Additional floor area of 5 m2 for every 1 m2 provision, up to maximum 10% of total GFA

#### Provision of Shared Public Parking:

Additional floor area of 50 m2 for provision of each one (1) shared-car parking space, up to maximum 10% of total GFA

# PERMITTED USES TABLE

	<b>T</b> 1 (	0014			DEA	<b>A</b> 1	
	Type and category	COM	MUC	MUR	RES	Code	Land Use
1	RESIDENTIAL						
1.1	Residential	×	<u>√</u>	<u>√</u>	√	201	Residential Flats / Appartments
2	COMMERCIAL						
1.2	Convenience	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	301	Food, Beverage & Groceries Shop
1.3	Comparison/Speciality	$\checkmark$	$\checkmark$	$\checkmark$	×		General Merchandise Store
1.4		√	√	<b>√</b>	×		Pharmacy
1.5		~	1	~	×		Electrical / Electronics / Computer Shop
1.6	Frederic December 1	$\frac{\checkmark}{\checkmark}$	$\frac{\checkmark}{\checkmark}$	$\frac{\checkmark}{\checkmark}$	× √		Apparel and Accessories Shop
1.7 1.8	Food and Beverage	v √	✓ ✓	<ul><li>✓</li></ul>	✓ ✓		Restaurant
1.0 1.9		<b>v</b> √	v √	<b>v</b> √	<b>v</b> √		Bakery Café
	Shopping Malls		• ✓	×	×		Shopping Mall
1.10	Services/Offices	· ·	· ✓	 ✓	×	401	
1.12	Services/Onices	✓	✓	✓	×		Financial Services and Real Estate
1.12		$\checkmark$	~	~	×		Professional Services
	Petrol stations	✓	×	×	×	307	
3	HOSPITALITY						
3.1	Hospitality accommodation	✓	✓	✓	×	2201	Serviced Apartments
3.2		$\checkmark$	~	~	×		Hotel / Resort
4	COMMUNITY FACILITIES						
4.1	Educational	×	✓	✓	√	1003	Private Kindergarten / Nurseries / Child Care Centers
4.2	Educational	√	✓		×		Technical Training / Vocational / Language School / Centers
4.3		×	~	1	×	1020	Boys Qur'anic School / Madrasa / Markaz
4.4		×	$\checkmark$	$\checkmark$	×		Girls Qur'anic School
	Health	✓	$\checkmark$	✓	×		Primary Health Center
4.6		$\checkmark$	$\checkmark$	$\checkmark$	×		Private Medical Clinic
4.7		$\checkmark$	$\checkmark$	×	×	1104	Private Hospital/Polyclinic
4.8		$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	1105	Ambulance Station
4.9		$\checkmark$	$\checkmark$	×	×	1106	Medical Laboratory / Diagnostic Center
	Governmental	×	$\checkmark$	×	×	1201	
4.11		×	<b>√</b>	×	×		Municipality
4.12		√	√	<b>√</b>	×		Post Office
4.13	Outtourst	$\overline{\checkmark}$	$\frac{\checkmark}{\checkmark}$	$\frac{\checkmark}{\checkmark}$	✓ 		Library
	Cultural	<ul><li>✓</li></ul>	✓ ✓	<ul> <li>✓</li> </ul>	× ×	1301	
4.15 4.16		<b>↓</b>	v √	×	×		Welfare / Charity Facility Convention / Exhibition Center
4.10		• ✓	• •	~	~		Art / Cultural Centers
	Religious	· ✓	√ 	· ✓	×	1406	
5	SPORTS AND ENTERTAINN					1 100	
	Open Space & Recreation		√	√	√		Park - Pocket Park
5.2	open opace a necication	<b>↓</b>	<b>↓</b>	×	×	1504	
5.3		$\checkmark$	~	~	~	1001	Civic Space - Public Plaza and Public Open Space
5.4		~	$\checkmark$	~	$\checkmark$		Green ways / Corridirs
5.5	Sports	×	✓	✓	×	1607	Tennis / Squash Complex
5.6		×	$\checkmark$	$\checkmark$	$\checkmark$		Basketball / Handball / Volleyball Courts
5.7		×	$\checkmark$	$\checkmark$	$\checkmark$		Small Football Fields
5.8		×	$\checkmark$	$\checkmark$	$\checkmark$		Jogging / Cycling Track
5.9		$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$		Youth Centre
5.10		×	✓	<b>√</b>	×	1612	Sports Hall / Complex (Indoor)
5.11		~	~	~	√		Private Fitness Sports (Indoor)
5.12		✓	✓	✓	✓	1613	Swimming Pool
	OTHER						
	Special Use	<b>√</b>	<b>√</b>	×	×		Immigration / Passport Office
6.2	<del>.</del> .	<u>√</u>	<u>√</u>	×	×		Customs Office
6.3	Tourism	✓	✓	×	×	2203	Museum

QATAR NATIONAL MASTER PLAN

