

USE REGULATIONS	
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	LEGEND : Policy plan plot
	Cadastral plot
	MUC Mixed Use Commercial
	OSR Open Space and Recreation
	CF Community Facilities
The state of the s	Build to line
G+M+14	Setback for main building
18040021	Setback for main building upper floors
G+M+14	Active frontage
G+M+14 G+M+14 G+M+14	▲ Pedestrian access
Ali Bin Amur At Attiyah Str.  Str.  Ali Bin Amur At Attiyah Str.	△ Main vehicular entrance
At Mosque	Pedestrian connection
Mosque 18040016	Existing building
Existing G+M+14 18040015  [South] Local Street	· XXXXX Arcade
S (SOURT)	Main Building
	Podium
	Note: If there is discrepancy,use Policy Plan plot
	(not cadastral plot)
	0 15 30 Mt N 1:1500


GENERAL USE MIX					
Zoning Category		Commercial Mixed Use Commercial		Mixed Use Residential	Residential
	Zoning Code		MUC	MUR	RES
Minimum r	equired number of use type*	1	2	2	1
	Commercial Retail, Office	<b>*</b>	$\overline{\mathbf{V}}$	✓	*
Use Type per	Residential Flats, Apartments	*	✓	<b>*</b>	$\overline{\mathbf{Z}}$
Zoning Category	Hospitality Hotels, Serviced Apartments	<b>√</b> *	✓	<b>√</b> *	✓
	Complementary (See Permitted Uses Table)	✓	✓	✓	✓
	Examples	Mall, souq etc.	Commercial with mixed use, strips	Residential with retail/office, hotels	Residential blocks, towers, houses

Uses mix: ☑ Required; ✓ Allowed; ➤ Not allowed \* Allow to be substituted with Hospitality Use Type


USE SPLIT					
MUC: Mixed Use Commercial	Use	Allowed Floor Location	GFA split		
Commercial (retail/office)	<b>✓</b> *	All	51 % min		
Residential	✓	Tower level	49% max		
Hospitality	✓	All	-		
Complementary (community facilities, sport, etc)	✓	Podium level	20% max		

Uses mix: ☑ Required; ✓ Allowed; ➤ Not allowed \* Allow to be substituted with Hospitality Use Type

SPECIFIC USE REGULATIONS				
Permitted uses	See Permitted Uses Table (page 4)			
Recommended Uses	<b>Type of commercial in MUC:</b> Establishments and offices with goods or services that cater city-wide (ie. main offices) and complementary to the cultural facilities in the Downtown area			
Not permitted uses	All other uses not listed in the General Permitted Uses Table (e.g. garage/car repair/heavy industry etc)			
Active Frontage Uses	Percentage: For marked-sides as Active Frontages, min. 60% frontage required as Active Uses			
	Retail, Shops, Food and Beverage (F&B), Offices, Services, Hotels, Government Offices, Clinics, Community Centres, Libraries, etc			



#### BUILDING ENVELOPE & MASSING ILLUSTRATION



#### **BUILDING TYPOLOGY: ATTACHED-PODIUM AND TOWER** Tower: G+M+14 Tower: G+14 Podium: G+M+2 Podium: G+1 Arcade Colonnades G Connector G+M Arcade G+M Access to rear or basement parking Access to rear or basement parking Ali Bin Amur Al Attiya & Museum Park Street (Collector Street) (south) Local Street – Primary Pedestrian Link

### BLOCK FORM REGULATIONS

BULK REGULATIONS				
Uses (as per Zoning Plan)	MUC: Mixed Use Commercia	I		
Height (max)	Ali Bin Amur At Attiya Str G+M+14 (Podium G+M+2)  57.2 m (max)			
	Museum Park & South Local Street	55.7 m (max)		
	• G+14 (Podium G+1)			
	Sikka	55.7 m		
	• G+14	(max)		
FAR (max)	8.20 (along Ali Bin Amur At Attiya & Museum Park Street)	(+ 5 % for corner lots)		
Building Coverage (max)	75%			
MAIN BUILDINGS				
Typology	Attached-Podium and Towe	er		
Building Placement	Setbacks as per block plan:			
	Ali Bin Amur At Attiya & Museum Park Street:  • Podium: 0 m front; 0 m on sides, up to 3 m (depth of tower set back) & 3 m for the remaining 1/3 plot depth; • Tower: 3m front setback; 3m sides;			
	South Local Street:  Podium: 0 m front; 0 m to 2/3 plot depth (max.15 the remaining 1/3 plot de Tower: 3-5 m front setbasides;	5 m) & <b>3 m</b> for epth		
Build to Line (a set building line on a plot, measured parallel from the front and/or corner side plot line, where the structure must be located. The building facade must be located on the build-to line)	Ali Bin Amur At Attiya & Park Street (Collector st of 0 m front setback (mane)     South Local Street: min.s indicated frontage at the beautiful or street in the set of th	reets): 100% datory) 90% of		
Building Depth (max)	10 m (single-aspect tower) 15 m (double-aspect tower) 30 m (tower with atrium) 30 m (podium with integrate plot depth minimum 45 m)			
Commercial Depth (max)	15 m			
Building Size	Fine grain; 30 m maximum bu	uilding width or		
Primary Active Frontage	As indicated in the plan			

Frontage Profile	All Bin Amur At Attiya & Museum Park Street: Arcade/ Colonnade:  2.5 m minimum width (Ali Bin Amur At Attiya & Museum Park Str.)  G+M maximum height Located as per drawing
Basement; Half- Basement (undercroft)	Allowed     O m setbacks     O.5 m maximum height from street level (undercroft)
ANCILLARY BUILDINGS	
Height (max)	G
Setbacks	Sides: 0 m front; 0 m on sides, up to 3 m (depth of tower set back) & 3 m for the remaining 1/3 plot depth;
Building Depth (max)	7.5 m
SITE PLANNING	
Plot Size for Subdivision	Minimum 800 sqm
Small Plot	<ul> <li>Minimum plot size of 800 sqm will allow to reach G+14, with provision of 1 undercroft and 2 basements for car parking.</li> <li>For plot sizes &lt; 800 m2:         <p>Allowed to be developed up to the maximum parameters set in the plan, subject to possibility of providing required parking on site     </p></li> </ul>
Open Space (min)	5%
ACCESSIBILITY AND CO	NNECTIVITY
Pedestrian Entry Point	As indicated in the plan
Vehicle Access Point	As indicated in the plan
Recommended Public Access on Private Plot	n/a
PARKING	
Location	Courtyard, rear ground floor, undercroft, basement, integrated with building
	As per general MSDP Car Parking
Required Number of Spaces	Regulations

- All new development should follow the regulations.
- For existing buildings: the setbacks and heights are indicative, for retrofitting /alteration/ modification changes should not exceed the existing massing.
- For existing buildings which are still new and/or in good condition, it is recommended only to add the required front-part of the building (eg. light structure podium) as per indicated set back and build-to-line (which is zero setback) in the plan

#### LANDSCAPE & ACTIVATE CHAMFER-SIDE AT THE INTERSECTION






Provision of green terrace roof garden (min. 50% of the




Provision of 'green' on the podium & landscaped forecourt (local streets)




Activate chamfer-sides by provision of openings (windows, doors), entrance for people or landscaped gardens

### RECOMMENDED ARCHITECTURAL STYLES

# Early Modern (Doha - Art Deco)\*





# **Qatari Contemporary\***





(illustration)

#### STANDARDS

ARCHITECTURAL STANDARD				
Architectural Theme/ Style	General: Qatari Contemporary     Recommended Early Modern (Doha Art Deco) Style for buildings along the streets of: Museum Street; partial segment of Corniche Street (between junction of Ali Bin Amur Al Attiya Str. and junction Jabr Bin Mohammed Str.); A Ring Road     Recommended incorporating some Qatari Vernacular Style elements for buildings that face to face with Zone 7 along Jabr Bin Mohammed Str.  (* Refer the details to the Townscape & Architectural Guidelines for Main Streets in Qatar)			
Exterior expression	Clear building expression of a base, a middle and a top			
	The Base Part (podium): should clearly be expressed (eg. with architrave or corniche ornament, should there is no required setback for tower that can distinguish it from the podium)			
	The Middle Part: Should adopt local rooted architectural language for its elements such as openings, shutters, balconies, bays etc. Should reveal the external expression of each storey			
	The Top Part should be marked by parapet or entablature			
Minimum Building separation	6 m between two buildings with facing non-habitable rooms     8 m between two buildings with a facing non-habitable room and a facing habitable room     12 m between two buildings with facing habitable rooms			
Party-Wall / Common Wall	The attached building's parts should have its own wall and foundation and comply to the standard of construction and fire-safety			
Floor height (maximum)	Slab to slab height (mid-point):     Ground floor: 5 m     Ground floor with mezzanine: 6.5 m     Typical floors (residential and other): 3.50 m     Ground floor ancillary building: 3.50 m			
Building Orientation	All the fasade's elements (windows, doors, balcony, bay window, etc) should respect the streets based on their hierarchy.			

	Primary fasade should orientate to the highway /expressway/ collector/ arterial streets.
Active frontage features	Entrances, <i>madkhal</i> , lobbies, window openings, arcades, porches etc
Active chamfer at the intersection	The chamfer side should be activated by providing main access for people and designing active frontage/fasade or small landscaped area with public facilities such as benches, public art, small lawn area, etc
Building Material	Avoid excessive use of glass-wall     Use the low environmental impact materials, that conform to ISO 14025, 14040, 14044, and EN 15804 or ISO 21930
Window-to-Wall Ratios	Refer to the diagrams
LANDSCAPE STANDARD	
Forecourt	For buildings along the secondary streets, the forecourts should have small green space for landscape
Barrier/fences	Street side: not allowed Sides and rear: transparent where possible; maximum height 2.5 m
Green Roof	50% area of the podium and the roof-top should be landscaped with dominant soft-scape (trees, plants, urban farming etc)
ACCESSIBILITY STANDAR	RD
Pedestrian access	Main building entrances should be oriented to the side indicated on the plan.     Pedestrian Access on the plan indicates the side for main pedestrian access, not the approximate location
Vehicle egress and ingress	Main Vehicular Access on the plan indicates the side and approximate location of the access, subject to site planning and transportation constraints.
SIGNAGE	
Style	Signage should be an integral part of the building fasade without background.
Cornice to mark	PROPERTY 1 PROPERTY 2

### WINDOW-TO-WALL RATIOS



## PARKING FORM & LOCATION OPTION



**Underground Parking** 

Integrated Podium Parking

### INCENTIVE

#### **Incentive Scheme**

Provision of **Privately Owned Public Space – POPS** such *sikka*, pedestrian walkway, public plaza, pocket garden, and Community Facility: Additional floor area of 5 m2 for every 1 m2 provision, up to maximum 10% of total GFA

Provision of Shared Public Parking:

Additional floor area of 50 m2 for provision of each one (1) shared-car parking space, up to maximum 10% of total GFA

## PERMITTED USES TABLE

	Time and actions	COM	MUC	MUD	DEC	Cada	Landllan
	Type and category	COM	MUC	MUK	KE9	Code	Land Use
1	RESIDENTIAL					004	
1.1	Residential	*	<b>√</b>	<b>√</b>	<u>√</u>	201	Residential Flats / Appartments
2	COMMERCIAL						
1.2	Convenience	<b>√</b>	✓	<b>√</b>	✓		Food, Beverage & Groceries Shop
1.3	Comparison/Speciality	<b>√</b>	<b>√</b>	✓	×		General Merchandise Store
1.4		<b>√</b>	<b>√</b>	<b>√</b>	*		Pharmacy  Floring / Floring / Open to Ober
1.5		<b>√</b>	<b>√</b>	<b>√</b>	*		Electrical / Electronics / Computer Shop
1.6	Food and Beverage	<u>√</u>	<u>√</u>	<u> </u>	× ✓		Apparel and Accessories Shop Restaurant
1.8	Food and Beverage	<b>√</b>	<b>√</b>	<b>✓</b>	<b>√</b>		Bakery
1.9		✓	· ✓	· ✓	· ✓		Café
	Shopping Malls	<u>√</u>	<u>·</u>	*	*		Shopping Mall
1.11	Services/Offices	✓	✓	✓	×	401	Personal Services
1.12		✓	$\checkmark$	✓	×		Financial Services and Real Estate
1.13		✓	✓	$\checkmark$	×		Professional Services
	Petrol stations	✓	×	×	×		Petrol Station
3	HOSPITALITY						
3.1	Hospitality accommodation	✓	✓	✓	×	2201	Serviced Apartments
3.2		✓	$\checkmark$	$\checkmark$	×		Hotel / Resort
4	COMMUNITY FACILITIES						
4.1	Educational	×	<b>√</b>	<b>√</b>	<b>√</b>	1003	Private Kindergarten / Nurseries / Child Care Centers
4.2	Educational	✓	✓	✓	×		Technical Training / Vocational / Language School / Centers
4.3		×	$\checkmark$	$\checkmark$	×	1021	Boys Qur'anic School / Madrasa / Markaz
4.4		×	$\checkmark$	$\checkmark$	×		Girls Qur'anic School
4.5	Health	✓	✓	✓	×		Primary Health Center
4.6		$\checkmark$	$\checkmark$	$\checkmark$	×	1103	Private Medical Clinic
4.7		$\checkmark$	$\checkmark$	×	×		Private Hospital/Polyclinic
4.8		✓	✓.	$\checkmark$	✓		Ambulance Station
4.9		✓	<b>√</b>	×	×		Medical Laboratory / Diagnostic Center
4.10	Governmental	*	<b>√</b>	*	×		
4.11		<b>×</b> ✓	<b>√</b>	×	*		Municipality
4.12 4.13		<b>∨</b> ✓	<b>∨</b>	<b>∨</b> ✓	<b>x</b> ✓		Post Office Library
4.13	Cultural		<u>√</u>	<u>√</u>	×		Community Center / Services
4.15	Cultural	<b>√</b>	<b>√</b>	<b>✓</b>	×		Welfare / Charity Facility
4.16		✓	<ul><li>✓</li></ul>	×	×	1302	Convention / Exhibition Center
4.17		✓	✓	✓	✓		Art / Cultural Centers
	Religious	✓	✓	✓	×		Islamic / Dawa Center
5	SPORTS AND ENTERTAINM	IENT					
5.1	Open Space & Recreation	<u>√</u>	✓	<b>√</b>	<b>√</b>		Park - Pocket Park
5.2	- Lan alana en resissantisti	✓	✓	×	×	1504	Theatre / Cinema
5.3		✓	$\checkmark$	✓	$\checkmark$	, , ,	Civic Space - Public Plaza and Public Open Space
5.4		✓	✓	✓	✓		Green ways / Corridirs
5.5	Sports	×	✓	✓	×	1607	Tennis / Squash Complex
5.6		×	$\checkmark$	$\checkmark$	$\checkmark$		Basketball / Handball / Volleyball Courts
5.7		×	✓	✓	✓		Small Football Fields
5.8		×	✓.	✓	✓.		Jogging / Cycling Track
5.9		✓	<b>√</b>	<b>√</b>	✓		Youth Centre
5.10		×	<b>√</b>	<b>√</b>	*	1612	Sports Hall / Complex (Indoor)
5.11		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	4640	Private Fitness Sports (Indoor)
5.12	ATHER	· ·	· ·		<u>√</u>	1013	Swimming Pool
6	OTHER		,			0/0-	1
6.1	Special Use	<b>√</b>	<b>√</b>	*	*		J 1
6.2	Tarreiana	<u>√</u>	<u>√</u>	×	×		Customs Office
6.3	Tourism	٧	<b>v</b>	×	*	2203	Museum