

ZONING PLAN



USE REGULATIONS





GENERAL USE MIX								
Zo	ning Category	Commercial	Mixed Use Commercial	Residential				
Z	Zoning Code	СОМ	MUC	MUR	RES			
Minimum ree	quired number of use type*	1	2	2	1			
	Commercial Retail, Office	*		✓	×			
Use Type per	Residential Flats, Apartments	*	✓	*				
Zoning Category	Hospitality Hotels, Serviced Apartments	✓*	✓	✓*	✓			
	Complementary (See Permitted Uses Table)	✓	✓	✓	✓			
	Examples	Mall, souq etc.	Commercial with mixed use, strips	Residential with retail/office, hotels	Residential blocks, towers, houses			

Uses mix: ☑ Required; ✓ Allowed; ➤ Not allowed

* Allow to be substituted with Hospitality Use Type

USE SPLIT								
MUR: Mixed Use Residential								
Commercial (retail/office)	✓*	Ground floor level	2.50 % max					
Residential	\checkmark	All	77.5 % min					
Hospitality	✓	All	-					
Complementary (community facilities, sport, etc)	✓	All	20 % max					
Uses mix: ☑ Required; ✓ Allowed; ≭ Not allowed								

* Allow to be substituted with Hospitality Use Type

SPECIFIC USE REGULATIONS					
Permitted uses	See Permitted Uses Table (
Recommended Uses	Type of commercial in MUF dresser, salon, tailor, special				
Not permitted uses	All other uses not listed in th industry etc)				
Active Frontage Uses	Percentage: For marked-s Uses				
	Offices, Government Offices				

Note: If there is discrepancy, use Policy Plan plot (not cadastral plot)

Existing building

BLOCK 5-15

QATAR NATIONAL MASTER PLAN


(page 4)


IR: Domestic or Local Commercial- Retail (ie.convenient store, hairalty shop, laundry, bakery, cafe etc)

the General Permitted Uses Table (e.g. garage/car repair/heavy

ides as Active Frontages, min. 60% frontage required as Active

es, Supporting Retail / Food and Beverages





BUILDING TYPOLOGY: ATTACHED LOW RISE BUILDING & COURTYARD/



Green-terrace-roof

Main buildings: Compact low-rise buildings maximum G+4, with main buildings are built close to the edge of the block and attached to the adjacent buildings, creating a strong sense of wall and perimeter block

Ancillary buildings of maximum 1 storey (G), with 0 m sides and 0 m rear setback

For buildings along Local Streets: Small Fore-court to indicate entrance

BLOCK FORM REGULATIONS


Uses (as per Zoning Plan)	MUR: Mixed Use Resident	tial
Height (max)	G+4	20.7 M (max)
FAR (max)	4.00	(+ 5 % for corner lots)
Building Coverage (max)	85%	
MAIN BUILDINGS		
Typology	Attached-Low Rise with	Courtyard
Building Placement	Setbacks as per block plar	1:
	Main buildings:Om front; 0 m side setba	ack
Build to Line (a set building line on a plot, measured parallel from the front and/or corner side plot line, where the structure must be located. The building facade must be located on the build-to line)	100% of 0 m front setback	(mandatory)
Building Depth (max)	10 m (single-aspect buildir 15 m (double-aspect buildi 30 m (building with atrium) 30 m (building with integra for plot depth minimum 45	ng) ted parking,
Commercial Depth (max)	10 m	
Building Size	 Fine grain; 10 m maximum building length; or Create a modular exter expression of fasade, w maximum 10 m wide, if is long stretched 	nal <i>v</i> ith
Primary Active Frontage	As indicated in the plan	
Frontage Profile	Small Fore-court to indic entrance	ate
Basement; Half- Basement (undercroft)	 Allowed 0 m setbacks 0.5 m maximum height level (undercroft) 	from street
ANCILLARY BUILDINGS		
Height (max)	G	
Setbacks	0m side 0m rear	
Building Depth (max)	7.5 m	
SITE PLANNING		
Plot Size for Subdivision	Minimum 300 sqm	

Q A T A R N A T I O N A L M A S T E R P L A N

Small Plot	 Minimum plot size of 300 sqm will allow to reach G+4, with provision of 1 undercroft and 1 basement for car parking. For plot sizes < 300 m2: Allowed to be developed up to the maximum parameters set in the plan, subject to possibility of providing required parking on site 		
Open Space (min)	5%		
ACCESSIBILITY AND CO	NNECTIVITY		
Pedestrian Entry Point	As indicated in the plan		
Vehicle Access Point	As indicated in the plan		
Recommended Public Access on Private Plot	n/a		
PARKING			
Location	Courtyard, rear ground floor, undercroft, basement, integrated with building		
Required Number of Spaces	As per general MSDP Car Parking Regulations		
Parking Waiver	15 % reduction in parking requirements: (block is located within 800m radius from metro entry point)		

- All new development should follow the regulations.
- For existing buildings: the setbacks and heights are indicative, for retrofitting /alteration/ modification changes should not exceed the existing massing.
- For existing buildings which are still new and/or in good condition, it is recommended only to add the required front-part of the building (eg. light structure podium) as per indicated set back and build-to-line (which is zero setback) in the plan


LANDSCAPE & ACTIVATE CHAMFER-SIDE AT THE INTERSECTION





Provision of 'green' on the landscaped forecourt (local streets) and court-yard (ie.central/sides/rear courtyard)

Provision of green terrace roof garden (min. 50% of the area)




Activate chamfer-sides by provision of openings (windows, doors), entrance for people or landscaped gardens

RECOMMENDED ARCHITECTURAL STYLES


Qatari Vernacular*

		6									e	0	0		P	0	
	T	Ī		T	T	T	Í	T	T	T	T			Ī	T	T	T

Early Modern (Doha - Art Deco)*



WINDOW-TO-WALL RATIOS







4

MIDDLE BASE East & West : 30%-40%

ē

ł

	Al Fadeela-Al Asmakh & Ahmed Bin Mohammed Bin Thani Street (A Ring Road), as most of the existing buildings have adopted this style (* Refer the details to the <u>Townscape &</u> <u>Architectural Guidelines for Main Streets</u> <u>in Qatar</u>)
Exterior expression	• Clear building expression of a base, a middle and a top
	• The Base Part (Ground Floor): should clearly be expressed (eg. with architrave or corniche ornament)
	 The Middle Part: Should adopt local rooted architectural language for its elements such as openings, shutters, balconies, bays etc. Should reveal the external expression of each storey
	• The Top Part should be marked by parapet or entablature
Minimum Building separation	 6 m between two buildings with facing non-habitable rooms 8 m between two buildings with a facing non-habitable room and a facing habitable room 12 m between two buildings with facing habitable rooms
Party-Wall / Common Wall	The attached building's parts should have its own wall and foundation and comply to the standard of construction and fire-safety
Floor height (maximum)	 Slab to slab height (mid-point): Ground floor: 5 m Ground floor with mezzanine: 6.5 m Typical floors (residential and other): 3.50 m Ground floor ancillary building: 3.50m
Building Orientation	 All the fasade's elements (windows, doors, balcony, bay window, etc) should respect the streets based on their hierarchy. Primary fasade should orientate to the highway /expressway/ collector/ arterial streets.
Active frontage features	Entrances, <i>madkhal</i> , lobbies, window

openings, arcades, porches etc

STANDARDS

Architectural Theme/ Style


ARCHITECTURAL STANDARD

General: Qatari Vernacular **Recommended Early Modern (Doha**

Art Deco) Style for buildings along Al Fadeela-Al Asmakh & Ahmed Bin

Q A T A R N A T I O N A L M A S T E R PLAN

Active chamfer at the intersection	The chamfer side should be activated by providing main access for people and designing active frontage/fasade or small landscaped area with public facilities such as benches, public art, small lawn area, etc
Building Material	 Avoid excessive use of glass-wall Use the low environmental impact materials, that conform to ISO 14025, 14040, 14044, and EN 15804 or ISO 21930
Window-to-Wall Ratios	Refer to the diagrams
LANDSCAPE STANDARD	
Forecourt	For buildings along the secondary streets, the forecourts should have small green space for landscape
Barrier/fences	Street side: not allowed Sides and rear: transparent where possible; maximum height 2.5 m
Green Roof	50% area of the podium and the roof- top should be landscaped with dominant soft-scape (trees, plants, urban farming etc)
ACCESSIBILITY STANDAR	RD
Pedestrian access	 Main building entrances should be oriented to the side indicated on the plan. Pedestrian Access on the plan indicates the side for main pedestrian access, not the approximate location
Vehicle egress and in- gress	 Main Vehicular Access on the plan indicates the side and approximate location of the access, subject to site planning and transportation constraints.
SIGNAGE	
22Style	Signage should be an integral part of the building fasade without background.
E WALD	



PARKING FORM & LOCATION OPTION

INCENTIVE

Incentive Scheme

Provision of **Privately Owned Public Space – POPS** such *sikka*, pedestrian walkway, public plaza, pocket garden, and Community Facility: Additional floor area of 5 m2 for every 1 m2 provision, up to maximum 10% of total GFA

Provision of Shared Public Parking:

Additional floor area of 50 m2 for provision of each one (1) shared-car parking space, up to maximum 10% of total GFA

PERMITTED USES TABLE

2 COMMERCIAL	
1.1 Residential × ✓ ✓ ✓ 2 COMMERCIAL	
2 COMMERCIAL	
	201 Residential Flats / Apartments
	301 Food, Beverage & Groceries Shop
	02 General Merchandise Store
	03 Pharmacy
	06 Electrical / Electronics / Computer Shop
	00 Apparel and Accessories Shop 311 Restaurant
i oou alla Dorolago	112 Bakery
	13 Café
	814 Shopping Mall
	01 Personal Services
	02 Financial Services and Real Estate
1.13 v v v x 4	03 Professional Services
1.14 Petrol stations ✓ × × × 3	07 Petrol Station
3 HOSPITALITY	
3.1 Hospitality accommodation \checkmark \checkmark \checkmark \checkmark 22	201 Serviced Apartments
	202 Hotel / Resort
4 COMMUNITY FACILITIES	
	03 Private Kindergarten / Nurseries / Child Care Centers
	20 Technical Training / Vocational / Language School / Centers
	21 Boys Qur'anic School / Madrasa / Markaz
	22 Girls Qur'anic School
	02 Primary Health Center
	03 Private Medical Clinic
	04 Private Hospital/Polyclinic
	05 Ambulance Station
	06 Medical Laboratory / Diagnostic Center 201 Ministry / Government Agency / Authority
	202 Municipality
	203 Post Office
	209 Library
	01 Community Center / Services
	02 Welfare / Charity Facility
	303 Convention / Exhibition Center
	304 Art / Cultural Centers
	06 Islamic / Dawa Center
5 SPORTS AND ENTERTAINMENT	
5.1 Open Space & Recreation V V V V	Park - Pocket Park
	04 Theatre / Cinema
$5.3 \qquad \checkmark \checkmark \checkmark \checkmark \checkmark \checkmark \checkmark \checkmark \checkmark \checkmark$	Civic Space - Public Plaza and Public Open Space
	Green ways / Corridirs 07 Tennis / Squash Complex
	007 Tennis / Squash Complex 009 Basketball / Handball / Volleyball Courts
5.7 × ✓ ✓ ✓	Small Football Fields
	510 Jogging / Cycling Track
	11 Youth Centre
	12 Sports Hall / Complex (Indoor)
5.11 🗸 🗸 🗸	Private Fitness Sports (Indoor)
5.12 🗸 🗸 🗸 16	13 Swimming Pool
6 OTHER	
6.1 Special Use 🗸 🗸 × 21	07 Immigration / Passport Office
6.2 ✓ ✓ × × 21	08 Customs Office
6.3 Tourism ✓ ✓ × × 22	203 Museum

QATAR NATIONAL MASTER PLAN

