
ZONING PLAN




Policy plan plot Cadastral plot ed Use Comme Mixed Use Residentia **tesidential** Open Space and Re Sports Zone Community Facilities Transportation and Utilities Transit Commercia

Active frontage

GENERAL	. USE MIX						
Zoning Category		Commercial	Mixed Use Commercial		Mixed Use Residential		Residential
Zoning Code		СОМ		MUC	MUR		RES
Minimum required number of use type*		1	2		2		1
	Commercial Retail, Office	▼*			✓		×
Use Type per	Residential Flats, Apartments	*	✓		▼ *		
Zoning Category	Hospitality Hotels, Serviced Apartments	√ *	✓		*		✓
	Complementary (See Permitted Uses Table)	✓	✓		✓		✓
	Examples	Mall, <i>souq</i> etc.	mixe	nmercial with d use, strips	Residential with retail/office, hotels		Residential blocks, towers, houses
	equired; 🗸 Allowed; 🛎 Not allowe	ed; * Allow to be substitu	ted with	Hospitality Use	Туре		
USE SPLI							
	se Commercial	Use		Allowed Floor Location		GFA split	
Commercial (re	tail/office)	⊠ *		All		51 % min	
Residential		✓		Tower level		49% max	
Hospitality		✓		All		_	
Complementary etc)	Complementary (community facilities, sport, etc)		✓		Podium level		20% max
MUR: Mixed U	se Residential	Γ					
Commercial (re	tail/office)	✓*		Ground floor level		2.50 % max	
Residential		\checkmark		All		77.5 % min	
Hospitality		✓		All		-	
Complementary etc)	y (community facilities, sport,	✓		All		20 % max	
	equired; 🗸 Allowed; 🗴 Not allowe		ted with	Hospitality Use	Туре		
SPECIFIC	USE REGULATIONS						
Permitted uses		See Permitted Uses Table (page 4)					
Recommended	Uses	 Type of commercial in MUC: Establishments and offices with goods or services that cater city-wide (ie. main offices) and complementary to the cultural facilities in the Downtown area Type of commercial in MUR: Domestic or Local Commercial- Retail (ie.convenient store, hair-dresser, salon, tailor, specialty shop, laundry, bakery, cafe etc) 					
Not permitted u	Ses	All other uses not listed in the General Permitted Uses Table (e.g. garage/car repair/heavy industry etc)					
Active Frontage Uses		Percentage: For marked-sides as Active Frontages, min. 60% frontage required as Active Uses					
		Retail, Shops, Food and Beverage (F&B), Offices, Services, Hotels, Government Offices, Clinics, Community Centres, Libraries, etc					


USE REGULATIONS



QATAR NATIONAL MASTER PLAN

BLOCK 17-03

BLOCK MASSING PLAN Podium G+1 ⊽∇ Al Dostour 27 G+10 G+10 G+M+10 6.4 G+M+10 6.9 JABR 3 3 9 3 3 BIN MOHAMMED Podium G+1 G+10 G+10 6.1 G+M+10 6.9



Tower: G+10

Tower setback

Podium: G+1

Access to rear

Colonnades G

or basement parking

BUILDING ENVELOPE & MASSING ILLUSTRATION


A

Podium

G+1

G+10

Dar Al Kutub



3 3

2


G+10

max 2

(up to max 15

Lusail

BUILDING TYPOLOGY: ATTACHED-PODIUM AND TOWER



Jabr Bin Mohammed Street (Collector Street)

max 2/3 plot depth (up to max 15 m)



BLOCK FORM REGULATIONS

Uses (as per Zoning Plan)	MUC: Mixed Use Commercial MUR: Mixed Use Residential				
Height (max)	Jabr Bin Mohammed Str:	43.2 m			
	• G+M+10 (Podium G+M+2) (max)				
	Al Dostour, Dar Al Kutub, Lusail Str.:	41.7 m (max)			
	• G+10 (Podium G+1)				
FAR (max)	6.60 (along Jabr Bin Mohammed Street) (+ 5 % for corner lots				
	6.10 (along Al Dostour, Dar Al Kutub, Al Sakhama Street)				
Building Coverage (max)	75%				
MAIN BUILDINGS	-				
Typology	Attached-Podium and Towe	er			
Building Placement	Setbacks as per block plan:				
	 <u>Podium</u>: <u>Podium</u>: 0 m front; 0 m on sides, up to max. 2/3 plot depth (max.15m) & 3 m for the remaining 1/3 plot depth; 6m rear <u>Tower</u>: 0 m front setback; 3m sides; 6m rear 				
	 Al Dostour, Dar Al Kutub, Lusail Street: Podium: Podium: 0 m front; 0 m on sides, up to max. 2/3 plot depth (max.15 m) & 3 m for the remaining 1/3 plot depth; 6m rear Tower: 3 m front setback; 3 m sides; 6m rear 				
Build to Line (a set building line on a plot, measured parallel from the front and/or corner side plot line, where the structure must be located. The building facade must be located on the build-to line)	 Jabr Bin Mohammed Street (Collector street): 100% of 0 m front setback (mandatory) Al Dostour, Dar Al Kutub, Lusail Street: min. 80% of frontage indicated at block plan 				
Building Depth (max)	10 m (single-aspect tower) 15 m (double-aspect tower) 30 m (tower with atrium) 30 m (podium with integrated parking, for plot depth minimum 45 m)				
Commercial Depth (max)	15 m				
Building Size	Fine grain; 30m maximum building width or length				
	As indicated in the plan				


QATAR NATIONAL MASTER PLAN

Frontage Profile Basement; Half-	 Jabr Bin Mohammed Street: Arcade/ Colonnade: 2.5 m minimum width G+M maximum height Located as per drawing Al Dostour Street: Colonnades Dar Al Kutub, Lusail Str.: Fore-court; cantilever/overhang on the ground floor Allowed 0 m setbacks 			
Basement (undercroft)	 0.5 m maximum height from street level (undercroft) 			
ANCILLARY BUILDINGS				
Height (max)	G			
Setbacks	 Sides: 0 m, up to max. 2/3 plot depth (max.15 m) & 3 m for the remaining 1/3 plot depth; Rear: 6 m 			
Building Depth (max)	7.5 m			
SITE PLANNING				
Plot Size for Subdivision	Minimum 600 sqm			
Small Plot	 Minimum plot size of 600 sqm will allow to reach G+10 with provision of 1 undercroft and 2 basements provision for car parking. For plot sizes < 600 sqm: Allowed to be developed up to the maximum parameters set in the plan, subject to possibility of providing required parking on site 			
Open Space (min)	5%			
ACCESSIBILITY AND CO	NNECTIVITY			
Pedestrian Entry Point	As indicated in the plan			
Vehicle Access Point	As indicated in the plan			
Recommended Public Access on Private Plot	n/a			
PARKING				
Location	Courtyard, rear ground floor, undercroft, basement, integrated with building			
Required Number of Spaces	As per general MSDP Car Parking Regulations			
Parking Waiver	30% reduction in parking requirement: (block is located within 400m radius from metro entry point)			

All new development should follow the regulations.
 For existing buildings: the setbacks and heights are indicative; for retrofitting /alteration/ modification changes should not exceed the existing massing.

For existing buildings which are still new and/or in good condition, it is recommended only to add the required front-part of the building (eg. light structure podium) as per indicated set back and build-to-line (which is zero setback) in the plan •

BUILDING TYPOLOGY




• Dar Al Kutub, Lusail (Local Streets)

LANDSCAPE & ACTIVATE CHAMFER-SIDE AT THE INTERSECTION







Activate chamfer-sides by provision of openings (windows, doors), entrance for people or landscaped gardens

MIDDLE TOP


BASE


RECOMMENDED ARCHITECTURAL STYLES

Early Modern (Doha - Art Deco)*



Qatari Contemporary Vernacular*





1111111

STANDARDS


ARCHITECTURAL STAND				
Architectural Theme/ Style	 General; Early Modern (Doha – Art Deco) or Qatari Contemporary Vernacular Recommended Early Modern (Doha Art Deco) Style for buildings along the streets of: Museum Street; Ali Bin Amur Al attiya; Jabr Bin Mohammed; A Ring Road- Ras Abou Abboud (* Refer the details to the <u>Townscape &</u> <u>Architectural Guidelines for Main</u> <u>Streets in Qatar</u>) 			
Exterior expression	 Clear building expression of a base, a middle and a top 			
	• The Base Part (podium): should clearly be expressed (eg. with architrave or cornice ornament, should there is no required setback for tower that can distinguish it from the podium)			
	 The Middle Part: Should adopt local rooted architectural language for its elements such as openings, shutters, balconies, bays etc. Should reveal the external expression of each storey 			
	• The Top Part should be marked by parapet or entablature			
Minimum Building separation	 6 m between two buildings with facing non-habitable rooms 8 m between two buildings with a facing non-habitable room and a facing habitable room 12 m between two buildings with facing habitable rooms 			
Party-Wall / Common Wall	The attached building's parts should have its own wall and foundation and comply to the standard of construction and fire-safety			
Floor height (maximum)	 Slab to slab height (mid-point): Ground floor: 5 m Ground floor with mezzanine: 6.5 m Typical floors (residential and other): 3.50 m Ground floor ancillary building: 3.50m 			
Building Orientation	 All the fasade's elements (windows, doors, balcony, bay window, etc) should respect the streets based on their hierarchy. Primary fasade should orientate to the highway /expressway/ collector/ arterial streets. 			


BLOCK 17-03

Q A T A R N A T I O N A L M A S T E R

PLAN

Active frontage features	Entrances, <i>madkhal</i> , lobbies, window openings, arcades, porches etc			
Active chamfer at the intersection	The chamfer side should be activated by providing main access for people and designing active frontage/fasade or small landscaped area with public facilities such as benches, public art, small lawn area, etc			
Building Material	 Avoid excessive use of glass-wall Use the low environmental impact materials, that conform to ISO 14025, 14040, 14044, and EN 15804 or ISO 21930 			
Window-to-Wall Ratios	Refer to the diagrams			
LANDSCAPE STANDARD				
Forecourt	For buildings along the secondary streets, the forecourts should have small green space for landscape			
Barrier/fences	Street side: not allowed Sides and rear: transparent where possible; maximum height 2.5m			
Green Roof	50% area of the podium and the roof-top should be landscaped with dominant soft- scape (trees, plants, urban farming etc)			
ACCESSIBILITY STANDARD				
Pedestrian access	 Main building entrances should be oriented to the side indicated on the plan. Pedestrian Access on the plan indicates the side for main pedestrian access, not the approximate location 			
Vehicle egress and in- gress	 Main Vehicular Access on the plan indicates the side and approximate location of the access, subject to site planning and transportation constraints. 			
SIGNAGE				
Style	Signage should be an integral part of the building fasade without background.			






Block Regulations Page 3 of 4

WINDOW-TO-WALL RATIOS





INCENTIVE

Incentive Scheme

Provision of **Privately Owned Public Space – POPS** such *sikka*, pedestrian walkway, public plaza, pocket garden, and Community Facility: Additional floor area of 5 m2 for every 1 m2 provision, up to maximum 10% of total GFA

Provision of Shared Public Parking:

Additional floor area of 50 m2 for provision of each one (1) shared-car parking space, up to maximum 10% of total GFA

PERMITTED USES TABLE

i i		0.011			250	A 1	
	Type and category	COM	MUC	MUR	RES	Code	Land Use
1	RESIDENTIAL			<i>.</i>	,		
1.1	Residential	×	-	<u>√</u>	-	201	Residential Flats / Appartments
2	COMMERCIAL						
1.2	Convenience	\checkmark	\checkmark	\checkmark	\checkmark		Food, Beverage & Groceries Shop
1.3	Comparison/Speciality	✓	√	√	×		General Merchandise Store
1.4		~	√	√	×		Pharmacy
1.5		\checkmark	√ √	\checkmark	×		Electrical / Electronics / Computer Shop
1.6 1.7	Food and Powerege	 ✓	 ✓	 ✓	× √		Apparel and Accessories Shop Restaurant
1.7	Food and Beverage	↓	v √	↓	↓		Bakery
1.9			✓	✓	✓		Café
1.10	Shopping Malls	· ✓	·	×	×		Shopping Mall
1.11	Services/Offices	✓	✓	✓	×	401	
1.12		\checkmark	\checkmark	\checkmark	×		Financial Services and Real Estate
1.13		\checkmark	\checkmark	\checkmark	×		Professional Services
1.14	Petrol stations	√	×	×	×	307	Petrol Station
3	HOSPITALITY						
3.1	Hospitality accommodation	✓	√	√	×	2201	Serviced Apartments
3.2	. ,	\checkmark	\checkmark	\checkmark	×	2202	Hotel / Resort
4	COMMUNITY FACILITIES						
4.1	Educational	×	✓	✓	✓	1003	Private Kindergarten / Nurseries / Child Care Centers
4.2		\checkmark	\checkmark	\checkmark	×		Technical Training / Vocational / Language School / Centers
4.3		×	\checkmark	\checkmark	×	1021	
4.4		×	\checkmark	\checkmark	×		Girls Qur'anic School
4.5	Health	\checkmark	\checkmark	\checkmark	×		Primary Health Center
4.6		\checkmark	\checkmark	\checkmark	×		Private Medical Clinic
4.7		√	~	×	×		Private Hospital/Polyclinic
4.8		√	√	√	√		Ambulance Station
4.9	O automatical	√ ×	$\frac{\checkmark}{\checkmark}$	× ×	× ×		Medical Laboratory / Diagnostic Center
4.10 4.11	Governmental	x	v √	x	×	1201	Ministry / Government Agency / Authority Municipality
4.11		~	↓	~	×		Post Office
4.13		√	✓	✓	✓		Library
4.14	Cultural	✓	✓	√	×		Community Center / Services
4.15		\checkmark	\checkmark	\checkmark	×		Welfare / Charity Facility
4.16		\checkmark	\checkmark	×	×	1303	Convention / Exhibition Center
4.17		\checkmark	\checkmark	\checkmark	\checkmark	1304	Art / Cultural Centers
4.18	Religious	\checkmark	\checkmark	✓	×	1406	Islamic / Dawa Center
5	SPORTS AND ENTERTAINN	IENT					
5.1	Open Space & Recreation	✓	\checkmark	\checkmark	\checkmark		Park - Pocket Park
5.2		\checkmark	\checkmark	×	×	1504	
5.3		✓	✓	√	✓		Civic Space - Public Plaza and Public Open Space
5.4	_	\checkmark	✓	✓	\checkmark		Green ways / Corridirs
5.5	Sports	×	√	√	×		Tennis / Squash Complex
5.6		×	√	\checkmark	1	1609	Basketball / Handball / Volleyball Courts
5.7		x x	•	v √	\checkmark	1610	Small Football Fields
5.8 5.9		× √	v √	v √	✓ ✓	1610 1611	Jogging / Cycling Track Youth Centre
5.9 5.10		×	• •	∨	×		Sports Hall / Complex (Indoor)
5.10		√ 	√	• •	~ √	1012	Private Fitness Sports (Indoor)
5.12		\checkmark	√	✓	√	1613	Swimming Pool
6	OTHER						
6 .1	Special Use	✓	√	×	×	2107	Immigration / Passport Office
6.2		✓	√	×	×		Customs Office
6.3	Tourism	✓	\checkmark	×	×		Museum
						0	

QATAR NATIONAL MASTER PLAN

