

ZONING PLAN




Zo	oning Category	Commercial		ked Use nmercial	Mixed Use Residential		Residential
	Zoning Code			MUC	MUR		RES
Minimum required number of use type*		1		2 2			1
	Commercial Retail, Office	∕*			~		×
Use Type per	Residential Flats, Apartments	*		✓ ☑*			
Zoning Category	Hospitality Hotels, Serviced Apartments	✓*		✓ ✓			✓
	Complementary (See Permitted Uses Table)	✓		✓	✓		✓
	Examples			mercial with l use, strips	Residential with retail/office, hotels		Residential blocks, towers, houses
	equired; 🗸 Allowed; 😕 Not allowe	ed ; * Allow to be substitu	uted with	Hospitality Use	е Туре		
USE SPLI	T						
MUC: Mixed U	se Commercial	Use		Allowed Floor Location		GFA split	
Commercial (re	etail/office)			All		51 % min	
Residential		✓		Tower level		49% max	
Hospitality		✓		All		_	
Complementar etc)	y (community facilities, sport,	~		Podium level			20% max
MUR: Mixed U	se Residential					•	
Commercial (re	etail/office)	⊠ *		Ground floor level		2.50 % max	
Residential		✓		All			77.5 % min
Hospitality		✓		All			-
Complementar etc)	y (community facilities, sport,	√		All			20 % max
Jses mix: 🗹 Re	equired; 🗸 Allowed; 🗴 Not allowe	ed ; * Allow to be substitu	uted with	Hospitality Use	туре		
SPECIFIC	USE REGULATIONS						
Permitted uses See Permitted Uses Table (page 4)							
Recommended	l Uses	 Type of commercial wide (ie. main offices Type of commercial dresser, salon, tailor 	s) and con al in MUR:	nplementary to Domestic or Lo	the cultural faciliti ocal Commercial-	es in the	Downtown area
Not permitted u	ISES	All other uses not listed in the General Permitted Uses Table (e.g. garage/car repair/heavy industretc)					
Active Frontage	e Uses	Percentage: For marked-sides as Active Frontages, min. 60% frontage required as Active Uses					
		Retail, Shops, Food and Beverage (F&B), Offices, Services, Hotels, Government Offices, Clinics, Community Centres, Libraries, etc					

USE REGULATIONS



Q A T A R N A T I O N A L M A S T E R PLAN

BLOCK 17-18



BLOCK FORM REGULATIONS

Uses (as per Zoning	MUC: Mixed Use Commercial MUR: Mixed Use Residential				
Plan)					
Height (max)	Sheraouh Street	43.2 m (max)			
	• G+M+10 (Podium G+M+2)				
	Malik Bin Anas & Al Maarif & Al Beshadiriya Street	41.7 m (max)			
	• G+10 (Podium G+1)				
FAR (max)	6.60 (along Sheraouh Street)	(+ 5 % for corner lots)			
	6.10 (along Malik Bin Anas & Al Maarif & Al Beshadiriya Street)				
Building Coverage (max)	75%				
MAIN BUILDINGS					
Typology	Attached-Podium and Towe	r			
Building Placement	Setbacks as per block plan: Sheraouh Street: • Podium: 0 m front; 0 m on sides, up to max. 2/3 plot depth (max.15 m) & 3 m for the remaining 1/3 plot depth; 3 m rear • Tower: 0 m front setback; 3 m sides; 3m rear				
	 Malik Bin Anas & Al Maarif & Al Beshadiriya Street: Podium: 0 m front; 0 m on sides, up to max. 2/3 plot depth (max.15 m) & 3 m for the remaining 1/3 plot depth; 3 m rear Tower: 3 m front setback; 3m sides; 3m rear 				
Build to Line (a set building line on a plot, measured parallel from the front and/or corner side plot line, where the structure	 Sheraouh Str (Collector street): 100% of 0m front setback (mandatory) Al Maarif Street: min.90% of indicated frontage at the block plan Malik Bin Anas & Al Beshadiriya Street (Local streets): min. 80% of frontage indicated at block plan 				
must be located. The building facade must be located on the build-to line)					
facade must be located on		plan			
facade must be located on the build-to line)	frontage indicated at block 10 m (single-aspect tower) 15 m (double-aspect tower) 30 m (tower with atrium) 30 m (podium with integrated	plan			
facade must be located on the build-to line) Building Depth (max)	frontage indicated at block 10 m (single-aspect tower) 15 m (double-aspect tower) 30 m (tower with atrium) 30 m (podium with integrated plot depth minimum 45 m)	plan parking, for			

QATAR NATIONAL MASTER PLAN

BLOCK 17-18


Frontage Profile Basement; Half- Basement (undercroft)	 Sheraouh Street.: Arcade/ Colonnade: 2.5 m minimum width G+M maximum height Located as per drawing Al Maarif Street : Colonnades Malik Bin Anas & Al Beshadiriya St. Fore-court; cantilever/overhang on the ground floor Allowed 0 m setbacks 0.5 m maximum height from street level (undercroft)
ANCILLARY BUILDINGS	
Height (max)	G
Setbacks	 Sides: 0 m, up to max. 2/3 plot depth (max.15 m) & 3 m for the remaining 1/3 plot depth; Rear: 3 m
Building Depth (max)	7.5 m
SITE PLANNING	
Plot Size for Subdivision	Minimum 600 sqm
Small Plot	 Minimum plot size of 600 sqm will allow to reach G+10, with provision of 1 undercroft and 2 basements for car parking. For plot sizes < 600 sqm: Allowed to be developed up to the maximum parameters set in the plan, subject to possibility of providing required parking on site
Open Space (min)	5%
ACCESSIBILITY AND CO	ONNECTIVITY
Pedestrian Entry Point	As indicated in the plan
Vehicle Access Point	As indicated in the plan
Recommended Public Access on Private Plot	n/a
PARKING	
Location	Courtyard, rear ground floor, undercroft, basement, integrated with building
Required Number of Spaces	As per general MSDP Car Parking Regulations
Parking Waiver	30 % reduction in parking requirement: (block is located within 400m radius from metro entry point)

All new development should follow the regulations. ٠

For existing buildings: the setbacks and heights are indicative; for retrofitting /alteration/

For existing buildings the setbacks and neights are indicated, for reconting factorial of modification changes should not exceed the existing massing. For existing buildings which are still new and/or in good condition, it is recommended only to add the required front-part of the building (eg. light structure podium) as per indicated set back and build-to-line (which is zero setback) in the plan

BUILDING TYPOLOGY




Malik Bin Anas & Al Beshadiriya Street (Local Streets)

LANDSCAPE & ACTIVATE CHAMFER SIDE AT THE INTERSECTION









Activate chamfer-sides by provision of openings (windows, doors), entrance for people or landscaped gardens


RECOMMENDED ARCHITECTURAL STYLES


Early Modern (Doha - Art Deco)*



Qatari Contemporary Vernacular*







STANDARDS


ARCHITECTURAL STAND				
Architectural Theme/ Style	 General; Early Modern (Doha – Art Deco) or Qatari Contemporary Vernacular Recommended Early Modern (Doha Art Deco) Style for buildings along the streets of: Museum Street; Ali Bin Amur Al attiya; Jabr Bin Mohammed; A Ring Road- Ras Abou Abboud (* Refer the details to the <u>Townscape &</u> <u>Architectural Guidelines for Main</u> <u>Streets in Qatar</u>) 			
Exterior expression	 Clear building expression of a base, a middle and a top 			
	• The Base Part (podium): should clearly be expressed (eg. with architrave or cornice ornament, should there is no required setback for tower that can distinguish it from the podium)			
	 The Middle Part: Should adopt local rooted architectural language for its elements such as openings, shutters, balconies, bays etc. Should reveal the external expression of each storey 			
	• The Top Part should be marked by parapet or entablature			
Minimum Building separation	 6 m between two buildings with facing non-habitable rooms 8 m between two buildings with a facing non-habitable room and a facing habitable room 12 m between two buildings with facing habitable rooms 			
Party-Wall / Common Wall	The attached building's parts should have its own wall and foundation and comply to the standard of construction and fire-safety			
Floor height (maximum)	 Slab to slab height (mid-point): Ground floor: 5 m Ground floor with mezzanine: 6.5 m Typical floors (residential and other): 3.50 m Ground floor ancillary building: 3.50m 			
Building Orientation	 All the fasade's elements (windows, doors, balcony, bay window, etc) should respect the streets based on their hierarchy. Primary fasade should orientate to the highway /expressway/ collector/ arterial streets. 			


BLOCK 17-18

Q A T A R N A T I O N A L M A S T E R

PLAN


Active frontage features	Entrances, <i>madkhal</i> , lobbies, window openings, arcades, porches etc				
Active chamfer at the intersection	The chamfer side should be activated by providing main access for people and designing active frontage/fasade or sma landscaped area with public facilities such as benches, public art, small lawn area, etc				
Building Material	 Avoid excessive use of glass-wall Use the low environmental impact materials, that conform to ISO 14025, 14040, 14044, and EN 15804 or ISO 21930 				
Window-to-Wall Ratios	Refer to the diagrams				
LANDSCAPE STANDARD					
Forecourt	For buildings along the secondary streets, the forecourts should have small green space for landscape				
Barrier/fences	Street side: not allowed Sides and rear: transparent where possible; maximum height 2.5m				
Green Roof	50% area of the podium and the roof-top should be landscaped with dominant soft scape (trees, plants, urban farming etc)				
ACCESSIBILITY STANDARD					
Pedestrian access	 Main building entrances should be oriented to the side indicated on the plan. Pedestrian Access on the plan indicates the side for main pedestrian access, not the approximate location 				
Vehicle egress and in- gress	 Main Vehicular Access on the plan indicates the side and approximate location of the access, subject to site planning and transportation constraints. 				
SIGNAGE					
Style	Signage should be an integral part of the building fasade without background.				






Block Regulations Page 3 of 4

WINDOW-TO-WALL RATIOS



Rear Parking Courtyard



Underground Parking

Integrated Podium Parking

Undercroft Parking-half basement

INCENTIVE

Incentive Scheme

Provision of **Privately Owned Public Space – POPS** such *sikka*, pedestrian walkway, public plaza, pocket garden, and Community Facility: Additional floor area of 5 m2 for every 1 m2 provision, up to maximum 10% of total GFA

Provision of Shared Public Parking:

Additional floor area of 50 m2 for provision of each one (1) shared-car parking space, up to maximum 10% of total GFA

PERMITTED USES TABLE

	Type and category	COM	MUC	MUR	RES	Code	Land Use
1	RESIDENTIAL	00111				0000	
1.1	Residential	×	√	√	√	201	Residential Flats / Appartments
2	COMMERCIAL	-	_				
1.2	Convenience	✓	✓	✓	√	301	Food, Beverage & Groceries Shop
1.3	Comparison/Speciality	✓	✓	✓	×		General Merchandise Store
1.4	companioon, opeolainy	\checkmark	\checkmark	\checkmark	×		Pharmacy
1.5		\checkmark	\checkmark	\checkmark	×		Electrical / Electronics / Computer Shop
1.6		\checkmark	\checkmark	\checkmark	×		Apparel and Accessories Shop
1.7	Food and Beverage	√	\checkmark	\checkmark	\checkmark	311	
1.8		\checkmark	\checkmark	\checkmark	\checkmark		Bakery
1.9		✓	\checkmark	\checkmark	\checkmark		Café
1.10	Department Store	✓	√	×	×		Department Store
1.11	Services/Offices	~	1	√	×	401	Personal Services
1.12		√ √	\checkmark	\checkmark	×		Financial Services and Real Estate
1.13		•	•	•	×	403	Professional Services
3	HOSPITALITY	√	√	√		0004	Serviced Apertments
3.1 3.2	Hospitality accommodation	√ √	✓ ✓	✓ ✓	× ×	2201	Serviced Apartments Hotel / Resort
		•	•	•		2202	
4 4.1	COMMUNITY FACILITIES Educational	×	√	√	√	1002	Drivete Kindersetten (Nurgeries (Child Care Centers
4.1 4.2	Euucationai	~	v √	↓	×		Private Kindergarten / Nurseries / Child Care Centers Technical Training / Vocational / Language School / Centers
4.2		×	• •	• •	x	1020	Boys Qur'anic School / Madrasa / Markaz
4.4		×	✓	✓	×		Girls Qur'anic School
4.5	Health	✓	✓	✓	×	1102	
4.6		\checkmark	\checkmark	\checkmark	×		Private Medical Clinic
4.7		\checkmark	\checkmark	×	×		Private Hospital/Polyclinic
4.8		\checkmark	\checkmark	\checkmark	\checkmark		Ambulance Station
4.9		✓	\checkmark	×	×		Medical Laboratory / Diagnostic Center
4.10	Governmental	×	√	×	×	1201	
4.11		×	1	×	×		Municipality
4.12		√	1	√	×		Post Office
4.13 4.14	Cultural	$\frac{\checkmark}{\checkmark}$	$\frac{\checkmark}{\checkmark}$	$\frac{\checkmark}{\checkmark}$	√ ×		Library Community Center / Services
4.14 4.15	Cultural	v √	v √	↓	×		Welfare / Charity Facility
4.15		✓	• •	×	×	1302	
4.17		1	\checkmark	~	~		Art / Cultural Centers
	Religious	✓	✓	~	×	1406	
5	SPORTS AND ENTERTAINM	IENT					
5.1	Open Space & Recreation	√	✓	~	~		Park - Pocket Park
5.2		\checkmark	\checkmark	×	×	1504	Theatre / Cinema
5.3		\checkmark	\checkmark	\checkmark	\checkmark		Civic Space - Public Plaza and Public Open Space
5.4		\checkmark	\checkmark	\checkmark	\checkmark		Green ways / Corridirs
5.5	Sports	×	√	√	×	1607	Tennis / Squash Complex
5.6		×	~	~	1	1609	Basketball / Handball / Volleyball Courts
5.7		×	√	√	√	4040	Small Football Fields
5.8		× √	\checkmark	\checkmark	√ √		Jogging / Cycling Track
5.9 5.10		v x	✓ ✓	✓ ✓	√ ×		Youth Centre Sports Hall / Complex (Indoor)
5.10		~	v √	↓	~	1012	Private Fitness Sports (Indoor)
5.12		• ✓	• √	↓	• •	1613	Swimming Pool
6	OTHER						
6 .1	Special Use	√	√	×	×	2107	Immigration / Passport Office
6.2	opoolal ooo	• •	√	×	x		Customs Office
6.3	Tourism	✓	√	×	×		Museum
•.•						2200	

QATAR NATIONAL MASTER PLAN

