
ZONING PLAN



USE RE	GULATION	S			
" /					LEGEND : Policy plan plot
		Al Dostour			Cadastral plot MUC Mixed Use Commercial
_					Build to line
					Setback for main building
	G+10	G+10	G+9 17120013		Setback for main building upper floors
BAHR	17120015	17120007		Beshairiya	Active frontage
AL				non.	▲ Pedestrian access
ARAB			G+M+9		△ Main vehicular entrance
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			17120006		Pedestrian connection
	G+M+10	G+M+10 17120009			Existing building
	17120016				Arcade
					Main Building
					Podium
	RAS ABU ABBOUD				Note: If there is discrepancy,use Policy Plan plot (not cadastral plot)
		10			0 10 20 Mt


GENERAL USE MIX					
Zoning Category		Commercial	Mixed Use Commercial	Mixed Use Residential	Residential
	Zoning Code	СОМ	MUC	MUR	RES
Minimum re	Minimum required number of use type*		2	2	1
	Commercial Retail, Office	✓ *	$\overline{\mathbf{Z}}$	✓	*
Use Type per	Residential Flats, Apartments	*	✓	*	$\overline{\mathbf{V}}$
Zoning Category	Hospitality Hotels, Serviced Apartments	√ *	✓	√ *	✓
	Complementary (See Permitted Uses Table)	✓	✓	✓	✓
	Examples	Mall, souq etc.	Commercial with mixed use, strips	Residential with retail/office, hotels	Residential blocks, towers, houses

Uses mix: ☑ Required; ✓ Allowed; ➤ Not allowed * Allow to be substituted with Hospitality Use Type


USE SPLIT					
MUC: Mixed Use Commercial	Use	Allowed Floor Location	GFA split		
Commercial (retail/office)	✓ *	All	51 % min		
Residential	✓	Tower level	49% max		
Hospitality	✓	All	-		
Complementary (community facilities, sport, etc)	✓	Podium level	20% max		

Uses mix: ☑ Required; ✓ Allowed; ➤ Not allowed * Allow to be substituted with Hospitality Use Type


SPECIFIC USE REGULATIONS				
Permitted uses	See Permitted Uses Table (page 4)			
Recommended Uses Type of commercial in MUC: Establishments and offices with goods or service city-wide (ie. main offices) and complementary to the cultural facilities in the Dov				
Not permitted uses	All other uses not listed in the General Permitted Uses Table (e.g. garage/car repair/heavy industry etc)			
Active Frontage Uses	Percentage: For marked-sides as Active Frontages, min. 60% frontage required as Active Uses			
	Retail, Shops, Food and Beverage (F&B), Offices, Services, Hotels, Government Offices, Clinics, Community Centres, Libraries, etc			



BUILDING ENVELOPE & MASSING ILLUSTRATION



BUILDING TYPOLOGY: ATTACHED-PODIUM AND TOWER



Ras Abou Aboud Street (Arterial Street)



Colonnades G Al Dostour Street (Local Street - Primary Pedestrian Link)

Tower: G+10

Tower setback

Podium: G+1

Access to rear

or basement


BLOCK FORM REGULATIONS

BULK REGULATIONS				
Uses (as per Zoning Plan)	MUC: Mixed Use Commercial			
Height (max)	Al Dostour & Bahr Al Arab Street:	41.7 m (max)		
	• G+10 (Podium G+1)			
	Ras Abu Aboud Street:	43.2 m (max)		
	• G+M+10 (Podium G+M+4)			
FAR (max)	6.10 (along Al Dostour & Bahr Al Arab Street)	(+ 5 % for corner lots)		
	7.0 (along Ras Abu Aboud Street)			
Building Coverage (max)	75%			
MAIN BUILDINGS				
Typology	Attached-Podium and Tower			
Building Placement	Setbacks as per block plan:			
	Ras Abu Aboud Str.: Podium: 0 m front; 0 m on sides, up to max. 2/3 plot depth (max.15 m) & 3 m for the remaining 1/3 plot depth; 3 m rear Tower: 0 m front setback; 3 m sides; 3m rear Al Dostour & Bahr Al Arab & Al Beshadiriya Str.: Podium: 0 m front; 0 m on sides, up to			
	max. 2/3 plot depth (max.15 m) & 3 m for the remaining 1/3 plot depth; 3 m rear Tower: 3 m front setback; 3 m sides; 3m rear			
Build to Line (a set building line on a plot, measured parallel from the front and/or corner side plot line, where the structure must be located. The building facade must be located on the build-to line)	Ras Abu Aboud Str (Arterial Srteet): 100% of 0 m front setback (mandatory) Al Dostour Street: Min. 90% of frontage indicated at block plan Bahr Al Arab & Al Beshadiriya Str (Local streets): Min. 60% of frontage indicated at block plan			
Building Depth (max)	10 m (single-aspect tower) 15 m (double-aspect tower) 30 m (tower with atrium) 30 m (podium with integrated parking, for plot depth minimum 45 m)			
Commercial Depth (max)	15 m			
Building Size	Fine grain; 30 m maximum buil length	ding width or		
Primary Active Frontage	As indicated in the plan			
Frontage Profile	Ras Abu Aboud Street: Arcade/ Colonnade: 3 m minimum width			

	G+M maximum height Located as per drawing Al Dostour Street: Colonnades Bahr Al Aarab & Al Beshadiriya Street: Fore-court; cantilever/overhang on the ground floor		
	Al Dostour Str.: Colonnades		
Basement; Half- Basement (undercroft)	Allowed 0 m setbacks 0.5 m maximum height from street level (undercroft)		
ANCILLARY BUILDINGS			
Height (max)	G		
Setbacks	Sides: 0 m, up to max. 2/3 plot depth (max.15 m) & 3 m for the remaining 1/3 plot depth; Rear: 3 m		
Building Depth (max)	7.5 m		
SITE PLANNING			
Plot Size for Subdivision	Minimum 600 sqm		
Small Plot	Minimum plot size of 600 sqm will allow to reach G+10, with provision of 1 undercroft and 2 basements for car parking. For plot sizes < 600 sqm: Allowed to be developed up to the maximum parameters set in the plan, subject to possibility of providing required parking on site		
Open Space (min)	5%		
ACCESSIBILITY AND CO	ONNECTIVITY		
Pedestrian Entry Point	As indicated in the plan		
Vehicle Access Point	As indicated in the plan		
Recommended Public Access on Private Plot	n/a		
PARKING			
Location	Courtyard, rear ground floor, undercroft, basement, integrated with building		
Required Number of Spaces	As per general MSDP Car Parking Regulations		
Parking Waiver	30% reduction in parking requirement: (block is located within 400m radius from metro entry point)		

- All new development should follow the regulations.
- For existing buildings: the setbacks and heights are indicative; for retrofitting /alteration/ modification changes should not exceed the existing massing.
- For existing buildings which are still new and/or in good condition, it is recommended only to add the required front-part of the building (eg. light structure podium) as per indicated set back and build-to-line (which is zero setback) in the plan

BUILDING TYPOLOGY



Bahr Al Arab & Al Beshadiriya Street (Local Streets)

LANDSCAPE & ACTIVATE CHAMFER-SIDE AT THE INTERSECTION






Provision of green terrace roof garden (min. 50% of the area)

Provision of 'green' on the podium & landscaped forecourt (local streets)

Activate chamfer-sides by provision of openings (windows, doors), entrance for people or landscaped gardens

RECOMMENDED ARCHITECTURAL STYLES


Early Modern (Doha - Art Deco)*





Qatari Contemporary Vernacular*






STANDARDS

ARCHITECTURAL STANDARD				
Architectural Theme/ Style	General; Early Modern (Doha – Art Deco) or Qatari Contemporary Vernacular Recommended Early Modern (Doha Art Deco) Style for buildings along the streets of: Museum Street; Ali Bin Amur Al attiya; Jabr Bin Mohammed; A Ring Road- Ras Abou Abboud (* Refer the details to the Townscape & Architectural Guidelines for Main Streets in Qatar)			
Exterior expression	Clear building expression of a base, a middle and a top			
	The Base Part (podium): should clearly be expressed (eg. with architrave or cornice ornament, should there is no required setback for tower that can distinguish it from the podium)			
	The Middle Part: Should adopt local rooted architectural language for its elements such as openings, shutters, balconies, bays etc. Should reveal the external expression of each storey			
	The Top Part should be marked by parapet or entablature			
Minimum Building separation	6 m between two buildings with facing non-habitable rooms 8 m between two buildings with a facing non-habitable room and a facing habitable room 12 m between two buildings with facing habitable rooms			
Party-Wall / Common Wall	The attached building's parts should have its own wall and foundation and comply to the standard of construction and fire-safety			
Floor height (maximum)	Slab to slab height (mid-point): Ground floor: 5 m Ground floor with mezzanine: 6.5 m Typical floors (residential and other): 3.50 m Ground floor ancillary building: 3.50m			
Building Orientation	All the fasade's elements (windows, doors, balcony, bay window, etc) should respect the streets based on their hierarchy. Primary fasade should orientate to the highway /expressway/ collector/ arterial streets.			


Active frontage features	Entrances, <i>madkhal</i> , lobbies, window openings, arcades, porches etc		
Active chamfer at the intersection	The chamfer side should be activated by providing main access for people and designing active frontage/fasade or small landscaped area with public facilities such as benches, public art, small lawn area, etc		
Building Material	 Avoid excessive use of glass-wall Use the low environmental impact materials, that conform to ISO 14025, 14040, 14044, and EN 15804 or ISO 21930 		
Window-to-Wall Ratios	Refer to the diagrams		
LANDSCAPE STANDARD			
Forecourt	For buildings along the secondary streets, the forecourts should have small green space for landscape		
Barrier/fences	Street side: not allowed Sides and rear: transparent where possible; maximum height 2.5m		
Green Roof	50% area of the podium and the roof-top should be landscaped with dominant soft-scape (trees, plants, urban farming etc)		
ACCESSIBILITY STANDAR	RD		
Pedestrian access	 Main building entrances should be oriented to the side indicated on the plan. Pedestrian Access on the plan indicates the side for main pedestrian access, not the approximate location 		
Vehicle egress and ingress	Main Vehicular Access on the plan indicates the side and approximate location of the access, subject to site planning and transportation constraints.		
SIGNAGE			
Style	Signage should be an integral part of the building fasade without background.		



WINDOW-TO-WALL RATIOS



PARKING FORM & LOCATION OPTION



INCENTIVE

Incentive Scheme

Provision of **Privately Owned Public Space – POPS** such *sikka*, pedestrian walkway, public plaza, pocket garden, and Community Facility: Additional floor area of 5 m2 for every 1 m2 provision, up to maximum 10% of total GFA

Provision of Shared Public Parking:

Additional floor area of 50 m2 for provision of each one (1) shared-car parking space, up to maximum 10% of total GFA

PERMITTED USES TABLE

	Tune and actorion	COM	MUC	MUD	DEC	Codo	Lond Hoo
	Type and category	COM	MIUC	MUK	KE3	Code	Land Use
1	RESIDENTIAL					004	
	Residential	×	✓	✓	✓	201	Residential Flats / Appartments
2	COMMERCIAL						
1.2	Convenience	✓	✓	✓	✓	301	Food, Beverage & Groceries Shop
1.3	Comparison/Speciality	\checkmark	\checkmark	\checkmark	×	302	General Merchandise Store
1.4		\checkmark	\checkmark	\checkmark	×		Pharmacy
1.5		✓	✓	✓	×		Electrical / Electronics / Computer Shop
1.6		✓	✓	✓	×		Apparel and Accessories Shop
1.7	Food and Beverage	\checkmark	✓	\checkmark	✓	311	Restaurant
1.8		✓.	✓.	✓.	✓.		Bakery
1.9		√	✓	✓	✓		Café
1.10	Shopping Malls	✓	✓	×	*		Shopping Mall
1.11	Services/Offices	✓.	✓	✓.	×	401	Personal Services
1.12		✓	✓	✓.	×		Financial Services and Real Estate
1.13		✓	✓	✓	×		Professional Services
1.14	Petrol stations	✓	*	<u>×</u>	*	307	Petrol Station
3	HOSPITALITY						
3.1	Hospitality accommodation	✓	✓	✓	×		Serviced Apartments
3.2		✓	✓	✓	×	2202	Hotel / Resort
4	COMMUNITY FACILITIES	_		=		_	-
4.1	Educational	×	✓	✓	✓	1003	Private Kindergarten / Nurseries / Child Care Centers
4.2		✓	\checkmark	✓	×		Technical Training / Vocational / Language School / Centers
4.3		×	✓	\checkmark	×	1021	
4.4		×	✓	\checkmark	×		Girls Qur'anic School
4.5	Health	✓	✓	✓	×		Primary Health Center
4.6		✓	\checkmark	\checkmark	×		Private Medical Clinic
4.7		\checkmark	\checkmark	×	×	1104	Private Hospital/Polyclinic
4.8		\checkmark	\checkmark	\checkmark	\checkmark		Ambulance Station
4.9		\checkmark	\checkmark	×	×	1106	Medical Laboratory / Diagnostic Center
4.10	Governmental	×	✓	×	×		Ministry / Government Agency / Authority
4.11		×	\checkmark	×	×		Municipality
4.12		\checkmark	\checkmark	\checkmark	×		Post Office
4.13		✓	✓	✓	✓		Library
4.14	Cultural	\checkmark	✓	\checkmark	×		Community Center / Services
4.15		\checkmark	\checkmark	\checkmark	×	1302	Welfare / Charity Facility
4.16		\checkmark	\checkmark	×	×		Convention / Exhibition Center
4.17		✓	✓	✓	✓		Art / Cultural Centers
4.18	Religious	✓	✓	✓	*	1406	Islamic / Dawa Center
5	SPORTS AND ENTERTAINM	IENT					
5.1	Open Space & Recreation	✓	✓	✓	✓		Park - Pocket Park
5.2		\checkmark	\checkmark	×	×	1504	Theatre / Cinema
5.3		\checkmark	\checkmark	\checkmark	✓		Civic Space - Public Plaza and Public Open Space
5.4		✓	✓	✓	✓		Green ways / Corridirs
5.5	Sports	×	✓	✓	×		Tennis / Squash Complex
5.6		×	\checkmark	\checkmark	\checkmark	1609	Basketball / Handball / Volleyball Courts
5.7		×	\checkmark	✓	✓		Small Football Fields
5.8		×	\checkmark	✓	✓	1610	Jogging / Cycling Track
5.9		\checkmark	✓	\checkmark	\checkmark		Youth Centre
5.10		×	✓	✓	×	1612	Sports Hall / Complex (Indoor)
5.11		✓.	✓	✓	✓.		Private Fitness Sports (Indoor)
5.12		✓	✓	✓	✓	1613	Swimming Pool
6	OTHER						
6.1	Special Use	✓	✓	×	×	2107	Immigration / Passport Office
6.2	•	✓	✓	×	×		Customs Office
	Tourism	√	√	×	×		Museum