


USE REGULATIONS	
	LEGEND : Policy plan plot
	Cadastral plot
	CF Community Facilities
OSR D	Tourism Zone
Wadi Misheireb OSR Agadhii	OSR Open Space and Recreation
Wadi - T	TC Transit Commercial
G+M+2	Heritage Overlay
	Build to line
Umm Wishah	Setback for main building
OSR	Setback for main building upper floors
	Active frontage
N THE THE	Pedestrian access
M _R _H , G+M+10	Main vehicular entrance
6+M+10 12500 12500	Pedestrian connection
The state of the s	Existing building
	Arcade
	Main Building (Illustration)
Named Hin Manual Hin M	Podium
1:1000 1:1000	Note: If there is discrepancy,use Policy Plan plot (not cadastral plot)
THAT IS THE	

GENERAL USE MIX				
Zoning Category		Transit Commercial		
	Zoning Code	TC		
Minimu	m required number of use type*	2		
	Transportation facilities (subway station, railway station, public transits, transportation nodes, seaport, airport, water taxi facilities, heliport facilities, etc.)			
Use Type	Commercial: Retail Office	✓		
zoning Category	Residential (Flats, Apartments, Affordable Housings, etc.)	✓		
	Hospitality (Hotels, Serviced Apartments)	✓		
	Secondary/Complementary Uses (Community Facilities, Sport & Entertainment, Open Space)	✓		
See details of	Permitted Uses Table in page 4			


DETAILED USE SPLIT					
		GFA			
TC: Transit Commercial	Uses Mix	Plot < 2000 sqm or for Single Tower/ Higher Building	Plot ≥ 2000 sqm or for Multiple Tower/ Higher Buildings	Allowed Floor Location	
Transportation facilities (subway station, railway station, public transits, transportation nodes, seaport, airport, water taxi facilities, heliport facilities, etc.)	V	Subject to be recommended by the transportation service providers	Subject to be recommended by the transportation service providers	Subject to be recommended by the transport providers	
Commercial**: Retail Office	√	Total Com. 30% min	Total Com. 15% min	All	
		Retail 65% max	Retail 25% max	Retail at ground level; podium; 1st floor above podium; top floor level	
Residential (Flats, Apartments, Affordable Housings)	✓	70% max	80% max	All	
Hospitality (Hotels, Serviced Apartments)	✓		40% max	All Semi-public /publicly accessible facilities (e.g. commercial space) at ground level; podium; 1st floor above podium; top floor level	
Secondary/Complementary Uses (Community Facilities, Sport & Entertainment, Open Space)	✓	20% max		Podium; 1 st floor above podium; top level	

Uses mix: ✓ Required; ✓ Allowed; κ Not allowed;


SITE PLANNING				
Plots ≥ 10,000sqm	 FAR: 5.0 Site Coverage: 55% Open Space: 10% min Streets & utilities: 15% max 			



BUILDING ENVELOPE & MASSING ILLUSTRATION



BUILDING TYPOLOGY: ATTACHED-PODIUM AND TOWER



Ahmed Bin Mohammed Bin Thani Street


BLOCK FORM REGULATIONS

Uses (as per Zoning Plan)	MUC: Mixed Use Commercia			
Height (max))	As stated in the Block Massing Plan			
<u>.</u>	Ahmed Bin Mohammed Bin Thani Street:	43.2 m (max)		
	• G+M+10 (Podium G+M+4)			
	Al Hufouf Street:	41.7 m (max)		
	• G+M+10 (Podium G+M+1)			
FAR (max)	As stated in the Block Mass	sing Plan		
	7.0 (along Ahmed Bin Mohammed Bin Thani Street)	(+ 5 % for corner lots)		
	6.60 (along Hufouf Street)			
Building Coverage (max)	75%			
MAIN BUILDINGS				
Typology	Attached-Podium and Towe	er		
Building Placement	Setbacks as per block plan:			
	Podium: 0 m front; 0 m on sides, up to max. 2/3 plot depth (max.15 m) & 3 m for the remaining 1/3 plot depth; 3 m rear Tower: 0 m front setback; 3 m sides; 3m rear			
	Al Hufouf Street: Podium: 0 m front all around Tower: 3 m front; 3 m sides and 3 m rear			
Build to Line (a set building line on a plot, measured parallel from the front and/or corner side plot line, where the structure must be located. The building facade must be located on the build-to line)	100% of 0 m front setback (mandatory)			
Building Depth (max)	10 m (single-aspect tower) 15 m (double-aspect tower) 30 m (tower with atrium) 30 m (podium with integrated parking, for plot depth minimum 45 m)			
Building Size	Fine grain; 30 m maximum building width or length			
D: A (; E)	As indicated in the plan			
Primary Active Frontage	Ahmed Bin Mohammed Bin Thani Stree Arcades (covered walkways): • 2.5 m minimum width (Al Hufouf Str.)) • 3.0 m minimum width (Ahmed Bin Mohammed Bin Thani Street)) • G+M maximum height (All streets) • Located as per drawing			

Basement; Half-Basement (undercroft)	Allowed 0 m setbacks 0.5 m maximum height from street level (undercroft)	
ANCILLARY BUILDINGS		
Height (max)	G	
Setbacks	Sides: 0 m, up to max. 2/3 plot depth (max.15 m) & 3 m for the remaining 1/3 plot depth; Rear: 3 m	
Building Depth (max)	7.5 m	
SITE PLANNING		
Plot Size for Subdivision	Minimum 600 sqm	
Small Plot	Minimum plot size of 600 sqm will allow to reach G+10, with provision of 1 undercroft and 2 basements for car parking. For plot sizes < 600 sqm: Allowed to be developed up to the maximum parameters set in the plan, subject to possibility of providing required parking on site	
Open Space (min)	5%	
Plots ≥ 10,000sqm	 FAR: 5.0 Site Coverage: 55% Open Space: 10% min Streets & utilities: 15% max 	
ACCESSIBILITY AND CONI	NECTIVITY	
Pedestrian Entry Point	All sides	
Vehicle Access Point	As per Q-Rail/ Transportation Service Providers and Traffic Study recommendation	
Recommended Public Access	All sides	
PARKING		
Location	For transportation facilities: on-site parking, limited number of special purpose parking (for emergency, police surveillance vehicles, service maintenance, short term parking for VIPs)	
Required Number of Spaces	As per general MSDP Car Parking Regulations	
Parking Waiver	30% reduction in parking provision requirement	

- All new development should follow the regulations.
- For existing buildings: the setbacks and heights are indicative; for retrofitting /alteration/ modification changes should not exceed the existing massing.
- For existing buildings which are still new and/or in good condition, it is recommended only to add the required front-part of the building (eg. light structure podium) as per indicated set back and build-to-line (which is zero setback) in the plan


BUILDING TYPOLOGY



Al Hufouf Street

LANDSCAPE & ACTIVATE CHAMFER-SIDE AT THE INTERSECTION





Provision of green terrace roof garden (min. 50% of the area)

Provision of 'green' on the podium & landscaped forecourt (local streets)

Activate chamfer-sides by provision of openings (windows, doors), entrance for people or landscaped gardens

RECOMMENDED ARCHITECTURAL STYLES

Qatari Contemporary*













STANDARDS


ADQUITEGTUDAL GTANDADD					
	ARCHITECTURAL STANDARD				
Architectural Theme/ Style	Qatari Contemporary Style (* Refer the details to the Townscape & Architectural Guidelines for Main Streets in Qatar)				
Exterior expression	Clear building expression of a base, a middle and a top				
	The Base Part (podium): should clearly be expressed (eg. with architrave or cornice ornament, should there is no required setback for tower that can distinguish it from the podium)				
	The Middle Part: Should adopt local rooted architectural language for its elements such as openings, shutters, balconies, bays etc. Should reveal the external expression of each storey				
	The Top Part should be marked by parapet or entablature				
Minimum Building separation	 6 m between two buildings with facing non-habitable rooms 8 m between two buildings with a facing non-habitable room and a facing habitable room 12 m between two buildings with facing habitable rooms 				
Party-Wall / Common Wall	The attached building's parts should have its own wall and foundation and comply to the standard of construction and fire-safety				
Floor height (maximum)	Slab to slab height (mid-point): Ground floor: 5 m Ground floor with mezzanine: 6.5 m Typical floors (residential and other): 3.50 m Ground floor ancillary building: 3.50m				
Building Orientation	 All the fasade's elements (windows, doors, balcony, bay window, etc) should respect the streets based on their hierarchy. Primary fasade should orientate to the highway /expressway/ collector/ arterial streets. 				
Active frontage features	Entrances, <i>madkhal</i> , lobbies, window openings, arcades, porches etc				
Active chamfer at the intersection	The chamfer side should be activated by providing main access for people and designing active frontage/fasade or small landscaped area with public				

	facilities such as benches, public art, small lawn area, etc		
Building Material	 Avoid excessive use of glass-wall Use the low environmental impact materials, that conform to ISO 14025, 14040, 14044, and EN 15804 or ISO 21930 		
Window-to-Wall Ratios	Refer to the diagrams		
LANDSCAPE STANDARD			
Forecourt	For buildings along the secondary streets, the forecourts should have small green space for landscape		
Barrier/fences	Street side: not allowed Sides and rear: transparent where possible; maximum height 2.5m		
Green Roof	50% area of the podium and the roof- top should be landscaped with dominant soft-scape (trees, plants, urban farming etc)		
ACCESSIBILITY STANDAR	D		
Pedestrian access	 Main building entrances should be oriented to the side indicated on the plan. Pedestrian Access on the plan indicates the side for main pedestrian access, not the approximate location 		
Vehicle egress and ingress	Main Vehicular Access on the plan indicates the side and approximate location of the access, subject to site planning and transportation constraints.		
SIGNAGE			
Style	Signage should be an integral part of the building fasade without background.		
Cornice to mark podium	PROPERTY 1 PARTY WALL/ COMMON WALL		

WINDOW-TO-WALL RATIOS



PARKING FORM & LOCATION OPTION



Subject to obtain approval from the relevant transportation service providers, especially Q-Rail.

INCENTIVE

Incentive Scheme

Provision of **Privately Owned Public Space – POPS** such sikka, pedestrian walkway, public plaza, pocket garden, and Community Facility: Additional floor area of 5 m2 for every 1 m2 provision, up to maximum 10% of total GFA

Provision of Shared Public Parking:

Additional floor area of 50 m2 for provision of each one (1) shared-car parking space, up to maximum 10% of total GFA

PERMITTED USES TABLE

	Type and category	COM	MUC	MUR	RES	Code	Use
	- Jpo una satogorj					/IERCIAL	
Convenience ✓ ✓ ✓ 301 Food, Beverage & Groceries Shop							
	Comparison/Speciality	√	✓	✓	×		General Merchandise Store
	companies in openium,	√	√	√	×		Pharmacy
		✓	✓	✓	×		Electrical / Electronics / Computer Shop
RETAIL		√	✓	✓	×		Apparel and Accessories Shop
ET,	Food and Beverage	✓	✓	✓	✓		Restaurant
8		✓	✓	✓	✓		Bakery
		✓	✓	✓	✓		Café
	Shopping Malls	✓	✓	×	×	314	Shopping Mall
	E-charging Stations	✓	×	×	×	307	E-charging Station
Έ	Services/Offices	✓	✓	✓	×	401	Personal Services
OFFICE		✓	✓	✓	×	402	Financial Services and Real Estate
P		✓	✓	✓	×	403	Professional Services
		-	-	-	RESII	DENTIAL	
	Residential	×	✓	✓	✓		Residential Flats / Apartments
					HOSE	PITALITY	
	Hospitality accommodation	✓	✓	✓	×		Serviced Apartments
	. ,	✓	✓	✓	×	2202	
			S	ECOND	ARY / (COMPLE	MENTARY
	Educational	×	✓	√	√		Private Kindergarten / Nurseries / Child Care Centers
		√	√	√	×		Technical Training / Vocational / Language School / Centers
		×	✓	✓	×		Boys Qur'anic School / Madrasa / Markaz
		×	✓	✓	×		Girls Qur'anic School
	Health	✓	✓	✓	×		Primary Health Center
ES		√	✓	✓	×		Private Medical Clinic
		✓	✓	×	×		Private Hospital/Polyclinic
C		✓	✓	✓	✓		Ambulance Station
FA		✓	✓	×	×		Medical Laboratory / Diagnostic Center
Т	Governmental	×	✓	×	×		Ministry / Government Agency / Authority
COMMUNITY FACILITIES		×	✓	×	×		Municipality
M		✓	✓	✓	×	1203	Post Office
SO		✓	✓	✓	✓	1209	Library
0	Cultural	✓	✓	✓	×	1301	Community Center / Services
		✓	✓	✓	×		Welfare / Charity Facility
		✓	✓	×	×	1303	Convention / Exhibition Center
		✓	✓	✓	✓		Art / Cultural Centers
	Religious	✓	✓	✓	×	1406	Islamic / Dawa Center
=	Open Space & Recreation	✓	✓	✓	✓		Park - Pocket Park
IEN		✓	✓	×	×	1504	Theatre / Cinema
Z		✓	✓	✓	✓		Civic Space - Public Plaza and Public Open Space
TAI		✓	✓	✓	✓		Green ways / Corridors
SPORTS AND ENTERTAINMENT	Sports	×	✓	✓	×		Tennis / Squash Complex
Z		×	✓	✓	√	1609	Basketball / Handball / Volleyball Courts
DE		×	√	√	√		Small Football Fields
ANI		×	√	✓	✓		Jogging / Cycling Track
S		✓	√	√	✓		Youth Centre
JRI		×	√	√	×	1612	Sports Hall / Complex (Indoor)
3PC		√	✓	✓	√	40.0	Private Fitness Sports (Indoor)
	0 1111	√	√	✓	✓		Swimming Pool
ER	Special Use	√	✓	×	×		Immigration / Passport Office
OTHER	- .	√	√	×	*		Customs Office
0	Tourism	✓	✓	×	×		Museum Iculation should be included in the GFA of the primary use (e.g. gvm facility for residents in an

- Supporting uses serves only to the primary use should not be regarded as a separate use. Therefore, their floor area calculation should be included in the GFA of the primary use (e.g. gym facility for residents in an apartment building should be calculated in the Residential GFA, or facilities of a hotel for guests should be calculated in Hospitality GFA).
 Unlisted uses in the table are categorised as non-permitted uses, especially the hazardous/ polluted uses (e.g. car repair shops, industries, polluted-workshops, etc).
- Similar uses to the permitted uses in the table will be regarded as conditional cases.