

USE REGULATIONS	
(north) Local Street  G+14  18040027  G+14  18040023	LEGEND:  — Policy plan plot  — Cadastral plot  MUC Mixed Use Commercial  — Build to line  Setback for main building  Setback for main building upper floors  Active frontage  Pedestrian access
G+14 18040024  G+14 18040024  G+14 18040031  G+14 18040030  G+14 18040030  G+14 18040030  G+14 18040030  G+14 18040030	Main vehicular entrance  Pedestrian connection  Existing building  Arcade  Main Building  Podium  Note: If there is discrepancy, use Policy Plan plot (not cadastral plot)  15 30 kt 1:1500

GENERAL USE MIX						
Z	Zoning Category		Commercial Mixed Use Commercial		Residential	
	Zoning Code	СОМ	MUC	MUR	RES	
Minimum r	equired number of use type*	1	2	2	1	
	Commercial Retail, Office ★		V	✓	*	
Use Type per	Residential Flats, Apartments	*	✓	<b>*</b>	$\overline{\mathbf{V}}$	
Zoning Category	Hospitality Hotels, Serviced Apartments	<b>√</b> *	✓	<b>√</b> *	✓	
	Complementary (See Permitted Uses Table)	✓	✓	✓	✓	
	Examples	Mall, souq etc.	Commercial with mixed use, strips	Residential with retail/office, hotels	Residential blocks, towers, houses	

Uses mix: ☑ Required; ✓ Allowed; ➤ Not allowed \* Allow to be substituted with Hospitality Use Type


USE SPLIT					
MUC: Mixed Use Commercial	Use	Allowed Floor Location	GFA split		
Commercial (retail/office)	<b>✓</b> *	All	51 % min		
Residential	✓	Tower level	49% max		
Hospitality	✓	All	-		
Complementary (community facilities, sport, etc)	✓	Podium level	20% max		

Uses mix: ☑ Required; ✓ Allowed; ➤ Not allowed \* Allow to be substituted with Hospitality Use Type


SPECIFIC USE REGULATIONS				
Permitted uses	See Permitted Uses Table (page 4)			
Recommended Uses	Type of commercial in MUC: Establishments and offices with goods or services that cater city-wide (ie. main offices) and complementary to the cultural facilities in the Downtown area			
Not permitted uses	All other uses not listed in the General Permitted Uses Table (e.g. garage/car repair/heavy industry etc)			
Active Frontage Uses	Percentage: For marked-sides as Active Frontages, min. 60% frontage required as Active Uses			
	Retail, Shops, Food and Beverage (F&B), Offices, Services, Hotels, Government Offices, Clinics, Community Centres, Libraries, etc			

# BLOCK MASSING PLAN LEGEND: Policy plan plot Cadastral plot Muco Use Commercial Build to line Setback for main building upper floors Active frontage A Pedestrian access Active frontage A Pedestrian access A Main vehicular entrance Catalage A Pedestrian access A Pedestrian access A Main vehicular entrance Catalage A Pedestrian access A Pedestrian access A Main vehicular entrance Catalage Catalage A Pedestrian access A Pedes

## **BUILDING ENVELOPE & MASSING ILLUSTRATION**



# **BUILDING TYPOLOGY: ATTACHED-PODIUM & TOWER**




# **BLOCK FORM REGULATIONS**

BULK REGULATIONS				
Uses (as per Zoning Plan)	MUC: Mixed Use Commercial			
Height (max)	Museum Park Str 57.2 m			
	• G+M+14 (Podium G+M+2)	(max)		
	North, South & West Local Street	55.7 m (max)		
	• G+14 (Podium G+1)			
FAR (max)	8.20 (along Museum Park Street) (+ 5 % for corner lots)			
	7.70 (along North, South & West Local Street)			
Building Coverage (max)	75%			
MAIN BUILDINGS				
Typology	Attached-Podium and Towe	er		
Building Placement	Setbacks as per block plan:			
	<ul> <li>Museum Park Street:</li> <li>Podium: 0 m front; 0 m on sides, up to 2/3 plot depth (max.15 m) &amp; 3 m for the remaining 1/3 plot depth;</li> <li>Tower: 3 m front setback; 3 m sides;</li> <li>North, South &amp; West Local Street:</li> <li>Podium: 0 m front; 0 m on sides, up to 2/3 plot depth (max.15 m) &amp; 3 m for the remaining 1/3 plot depth; 3 m rear</li> <li>Tower: 5 m front setback (existing); 3 m sides; 3m rear</li> </ul>			
Build to Line (a set building line on a plot, measured parallel from the front and/or corner side plot line, where the structure must be located. The building facade must be located on the build-to line)	Museum Park Str (Collector street):     100% of 0 m front setback (mandatory)     South & West Local Street: min. 60% of frontage indicated at block plan     North Local Street: min.90% of indicated frontage at the block plan			
Building Depth (max)	10 m (single-aspect tower) 15 m (double-aspect tower) 30 m (tower with atrium) 30 m (podium with integrated parking, for plot depth minimum 45 m)			
Commercial Depth (max)	15 m			
Building Size	Fine grain; 30 m maximum bulength	uilding width or		
Primary Active Frontage	As indicated in the plan			
Frontage Profile	Museum Park Street: Arcade/ Colonnade:			

	North Local Street: Colonnades
	South & West Local Street: Fore-court; cantilever/overhang on the ground floor
Basement; Half- Basement (undercroft)	Allowed     0 m setbacks     0.5 m maximum height from street level (undercroft)
ANCILLARY BUILDINGS	
Height (max)	G
Setbacks	Sides: 0 m, up to 2/3 plot depth (max.15 m) & 3 m for the remaining 1/3 plot depth; Rear: 3 m
Building Depth (max)	7.5 m
SITE PLANNING	
Plot Size for Subdivision	Minimum 800 sqm
Small Plot	Minimum plot size of 800 sqm will allow to reach G+14, with provision of 1 undercroft and 2 basements for car parking. For plot sizes < 800 m2: Allowed to be developed up to the maximum parameters set in the plan, subject to possibility of providing required parking on site
Open Space (min)	5%
ACCESSIBILITY AND CO	DNNECTIVITY
Pedestrian Entry Point	As indicated in the plan
Vehicle Access Point	As indicated in the plan
Recommended Public Access on Private Plot	n/a
PARKING	
Location	Courtyard, rear ground floor, undercroft, basement, integrated with building
Required Number of Spaces	As per general MSDP Car Parking Regulations
Parking Waiver	15 % reduction in parking requirement: (block is located within 800m radius from metro entry point)

- All new development should follow the regulations.
- For existing buildings: the setbacks and heights are indicative, for retrofitting /alteration/ modification changes should not exceed the existing massing.
- For existing buildings which are still new and/or in good condition, it is recommended only to add the required front-part of the building (eg. light structure podium) as per indicated set back and build-to-line (which is zero setback) in the plan

# **BUILDING TYPOLOGY: ATTACHED-PODIUM & TOWER**





(south) Local Street Type 1 (Fore-court & landscape); (south) Local Street Type 2 (Fore-court & Staircase, if there is half-basement)

## LANDSCAPE & ACTIVATE CHAMFER-SIDE AT THE INTERSECTION





Provision of green terrace root garden (min. 50% of the area)






Activate chamter-sides by provision of openings (windows, doors), entrance for people or landscaped gardens

# **RECOMMENDED ARCHITECTURAL STYLES**

# Early Modern (Doha - Art Deco)\*





# Qatari Contemporary\*





(illustration)

# STANDARDS

ARCHITECTURAL STANDARD				
Architectural Theme/ Style	General: Qatari Contemporary     Recommended Early Modern (Doha Art Deco) Style for buildings along the streets of: Museum Street; partial segment of Corniche Street (between junction of Ali Bin Amur Al Attiya Str. and junction Jabr Bin Mohammed Str.); A Ring Road     Recommended incorporating some Qatari Vernacular Style elements for buildings that face to face with Zone 7 along Jabr Bin Mohammed Str.  (* Refer the details to the Townscape & Architectural Guidelines for Main Streets in Qatar)			
Exterior expression	Clear building expression of a base, a middle and a top			
	The Base Part (podium): should clearly be expressed (eg. with architrave or corniche ornament, should there is no required setback for tower that can distinguish it from the podium)  The Base Part (podium): should be expressed to the expression of the podium): should be expressed to the podium of the podium			
	The Middle Part: Should adopt local rooted architectural language for its elements such as openings, shutters, balconies, bays etc. Should reveal the external expression of each storey			
	The Top Part should be marked by parapet or entablature			
Minimum Building separation	6 m between two buildings with facing non-habitable rooms     8 m between two buildings with a facing non-habitable room and a facing habitable room     12 m between two buildings with facing habitable rooms			
Party-Wall / Common Wall	The attached building's parts should have its own wall and foundation and comply to the standard of construction and fire-safety			
Floor height (maximum)	Slab to slab height (mid-point):     Ground floor: 5 m     Ground floor with mezzanine: 6.5 m     Typical floors (residential and other): 3.50 m     Ground floor ancillary building: 3.50 m			
Building Orientation	All the fasade's elements (windows, doors, balcony, bay window, etc) should respect the streets based on their hierarchy.			

	Primary fasade should orientate to the highway /expressway/ collector/ arterial streets.		
Active frontage features	Entrances, <i>madkhal</i> , lobbies, window openings, arcades, porches etc		
Active chamfer at the intersection	The chamfer side should be activated by providing main access for people and designing active frontage/fasade or small landscaped area with public facilities such as benches, public art, small lawn area, etc		
Building Material	Avoid excessive use of glass-wall     Use the low environmental impact materials, that conform to ISO 14025, 14040, 14044, and EN 15804 or ISO 21930		
Window-to-Wall Ratios	Refer to the diagrams		
LANDSCAPE STANDARD			
Forecourt	For buildings along the secondary streets, the forecourts should have small green space for landscape		
Barrier/fences	Street side: not allowed Sides and rear: transparent where possible; maximum height 2.5 m		
Green Roof	50% area of the podium and the roof-top should be landscaped with dominant soft-scape (trees, plants, urban farming etc)		
ACCESSIBILITY STANDAR	RD		
Pedestrian access	<ul> <li>Main building entrances should be oriented to the side indicated on the plan.</li> <li>Pedestrian Access on the plan indicates the side for main pedestrian access, not the approximate location</li> </ul>		
Vehicle egress and ingress	Main Vehicular Access on the plan indicates the side and approximate location of the access, subject to site planning and transportation constraints.		
SIGNAGE			
2Style	Signage should be an integral part of the building fasade without background.		
Cornice to mark podium	PROPERTY 1 PROPERTY 2		

# WINDOW-TO-WALL RATIOS



# PARKING FORM & LOCATION OPTION



**Underground Parking** 

Integrated Podium Parking

# INCENTIVE

### **Incentive Scheme**

Provision of **Privately Owned Public Space – POPS** such *sikka*, pedestrian walkway, public plaza, pocket garden, and Community Facility: Additional floor area of 5 m2 for every 1 m2 provision, up to maximum 10% of total GFA

### Provision of Shared Public Parking:

Additional floor area of 50 m2 for provision of each one (1) shared-car parking space, up to maximum 10% of total GFA

# PERMITTED USES TABLE

	Type and category	COM	MUC	MUR	RES	Code	Land Use
	RESIDENTIAL						
	Residential	×	✓	✓	✓	201	Residential Flats / Appartments
	COMMERCIAL	_					-
2	Convenience	<b>√</b>	✓	<b>√</b>	✓	301	Food, Beverage & Groceries Shop
3	Comparison/Speciality	<u> </u>	<u>·</u> ✓	<u> </u>	<u> </u>	302	General Merchandise Store
4	Companison/Opecianty	√ ·	✓	✓	×		Pharmacy
5		<b>√</b>	1	<b>√</b>	×		Electrical / Electronics / Computer Shop
6		✓	✓	✓	×		Apparel and Accessories Shop
7	Food and Beverage	✓	✓	✓	✓		Restaurant
8		$\checkmark$	$\checkmark$	$\checkmark$	✓		Bakery
9		✓	$\checkmark$	$\checkmark$	$\checkmark$		Café
10	Shopping Malls	✓	✓	×	×	314	Shopping Mall
11	Services/Offices	✓	✓	✓	×	401	Personal Services
12		$\checkmark$	$\checkmark$	$\checkmark$	×	402	Financial Services and Real Estate
13		✓	$\checkmark$	$\checkmark$	×	403	Professional Services
14	Petrol stations	✓	×	×	×	307	Petrol Station
	HOSPITALITY						
1	Hospitality accommodation	✓	✓	✓	×	2201	Serviced Apartments
2	. ,	✓	$\checkmark$	$\checkmark$	×		Hotel / Resort
	COMMUNITY FACILITIES						
1	Educational	×	✓	✓	✓	1003	Private Kindergarten / Nurseries / Child Care Centers
2		✓	✓	✓	×		Technical Training / Vocational / Language School / Centers
3		×	✓	$\checkmark$	×	1021	
4		×	$\checkmark$	$\checkmark$	×		Girls Qur'anic School
	Health	✓	✓	✓	×		Primary Health Center
6		✓	$\checkmark$	$\checkmark$	×		Private Medical Clinic
7		$\checkmark$	$\checkmark$	×	×	1104	Private Hospital/Polyclinic
8		$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$		Ambulance Station
9		✓	✓	×	×		Medical Laboratory / Diagnostic Center
10	Governmental	×	✓	×	×	1201	Ministry / Government Agency / Authority
11		×	$\checkmark$	×	×		Municipality
12		$\checkmark$	$\checkmark$	$\checkmark$	×		Post Office
13		✓	✓	✓	✓		Library
	Cultural	✓.	✓	✓.	×		Community Center / Services
15		✓.	<b>√</b>	$\checkmark$	×		Welfare / Charity Facility
16		<b>√</b>	<b>√</b>	×	*		Convention / Exhibition Center
17	5.11.1	✓	<b>√</b>	<b>√</b>	<b>✓</b>		Art / Cultural Centers
18	Religious	✓	✓	✓	×	1406	Islamic / Dawa Center
	SPORTS AND ENTERTAINM						
1	Open Space & Recreation	✓	<b>√</b>	$\checkmark$	$\checkmark$		Park - Pocket Park
2		<b>√</b>	✓	×	×	1504	Theatre / Cinema
3		<b>√</b>	<b>√</b>	✓	✓		Civic Space - Public Plaza and Public Open Space
4		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	4007	Green ways / Corridirs
	Sports	*	<b>√</b>	<b>√</b>	×		Tennis / Squash Complex
ĵ		*	<b>√</b>	<b>√</b>	<b>√</b>	1609	Basketball / Handball / Volleyball Courts
7		×	<b>√</b>	<b>√</b>	<b>√</b>	1610	Small Football Fields
8 0		<b>x</b> ✓	<b>√</b>	<b>√</b>	<b>√</b>		Jogging / Cycling Track Youth Centre
9 10		v *	<b>∨</b>	<b>∨</b>			Sports Hall / Complex (Indoor)
10 11		× ✓	<b>∨</b>	<b>∨</b>	<b>x</b> ✓	1012	Private Fitness Sports (Indoor)
12		<b>∨</b> ✓	<b>∨</b>	<b>∨</b>	<b>∨</b>	1612	Swimming Pool
12	OTUED	-		-		- 1013	Ownining 1 001
	OTHER	✓	<b>√</b>	×	×	0407	Immigration / Passport Office
1				×			minimination / Passoon Utilice
1 2	Special Use	<b>∨</b>	<b>√</b>	×	×	2107	Customs Office