


USE REGULATIONS





-1000

GENERAL USE MIX					
Zoning Category		Commercial	Mixed Use Commercial	Mixed Use Residential	Residential
Zoning Code		COM MUC		MUR	RES
Minimum required number of use type*		1	2	2	1
	Commercial Retail, Office	*		✓	×
Use Type per	Residential Flats, Apartments	×	✓	*	
Zoning Category	Hospitality Hotels, Serviced Apartments	✓*	✓	√ *	✓
	Complementary (See Permitted Uses Table)	✓	~	~	✓
Examples		Mall, souq etc.	Commercial with mixed use, strips	Residential with retail/office, hotels	Residential blocks, towers, houses

Uses mix: ☑ Required; ✓ Allowed; ★ Not allowed ; * Allow to be substituted with Hospitality Use Type

USE SPLIT				
MUC: Mixed Use Commercial	Use	Allowed Floor Location	GFA split	
Commercial (retail/office)	✓*	All	51 % min	
Residential	✓	Tower level	49% max	
Hospitality	✓	All	-	
Complementary (community facilities, sport, etc)	~	Podium level	20% max	

Uses mix: ☑ Required; ✓ Allowed; ★ Not allowed ; * Allow to be substituted with Hospitality Use Type

SPECIFIC USE REGULATIONS			
Permitted uses	See Permitted Uses Table (
Recommended Uses	 Type of commercial in l wide (ie. main offices) an Type of commercial in l dresser, salon, tailor, specent 		
Not permitted uses	All other uses not listed in th etc)		
Active Frontage Uses	Percentage: For marked-side		
	Retail, Shops, Food and Bev Community Centres, Librarie		

Bin Amur P Attiya

Ali

QATAR NATIONAL MASTER PLAN

BLOCK 18-26


(page 4)

MUC: Establishments and offices with goods or services that cater cityand complementary to the cultural facilities in the Downtown area 1 MUR: Domestic or Local Commercial- Retail (ie.convenient store, hairbecialty shop, laundry, bakery, cafe etc)

the General Permitted Uses Table (e.g. garage/car repair/heavy industry

ides as Active Frontages, min. 60% frontage required as Active Uses

everage (F&B), Offices, Services, Hotels, Government Offices, Clinics, ries, etc



BLOCK FORM REGULATIONS

57.2 m

(max)

55.7m

(max)

8.20 (along Museum & Ali (+ 5 % for Bin Amur At Attiya corner lots) Attached-Podium and Tower Setbacks as per block plan: Ali Bin Amur At Attiya : • Podium: 0 m front; 0 m on sides, up to 3 m (depth of tower set back) & 3 **m** for the remaining 1/3 plot depth; Tower: 3 m front setback; 3m sides; Museum Street • Podium: 0 m front; 0 m on sides, up to 2/3 plot depth (max.15 m) & 3 m for the remaining 1/3 plot depth; Tower: 0 m front setback; 3m sides; Al Aaliya Street: Podium: 0 m front; 0 m on sides, up to 2/3 plot depth (max.15 m) & 3 m for the remaining 1/3 plot depth; Tower: 3 m front setback; 3m sides Museum Str & Ali Bin Amur At Attiya Str (Collector street): 100% of Om front setback (mandatory) Al Aaliya Street: min.90% of indicated frontage at the block plan 10 m (single-aspect tower) 15 m (double-aspect tower) 30 m (tower with atrium) 30 m (podium with integrated parking, for plot depth minimum 45 m) Fine grain; 30 m maximum building width or length As indicated in the plan

QATAR NATIONAL MASTER PLAN


BLOCK 18-26

Frontage Profile	 Museum Street: Arcade/ Colonnade: 2.5 m minimum width G+M maximum height Located as per drawing 		
	Al Aaliya Street : Colonnades		
Basement; Half- Basement (undercroft)	 Allowed 0 m setbacks 0.5 m maximum height from street level (undercroft) 		
ANCILLARY BUILDINGS			
Height (max)	G		
Setbacks	• Sides:0 m on sides, up to 3 m (depth of tower set back) & 3 m for the remaining 1/3 plot depth;		
Building Depth (max)	7.5 m		
SITE PLANNING			
Plot Size for Subdivision	Minimum 800 sqm		
Small Plot	 Minimum plot size of 800 sqm will allow to reach G+14, with provision of 1 undercroft and 2 basements for car parking. For plot sizes < 800 m2: Allowed to be developed up to the maximum parameters set in the plan, subject to possibility of providing required parking on site 		
Open Space (min)	5%		
ACCESSIBILITY AND CO	NNECTIVITY		
Pedestrian Entry Point	As indicated in the plan		
Vehicle Access Point	As indicated in the plan		
Recommended Public Access on Private Plot	n/a		
PARKING			
Location	Courtyard, rear ground floor, undercroft, basement, integrated with building		
Required Number of Spaces	As per general MSDP Car Parking Regulations		
Parking Waiver	30 % reduction in parking requirement: (block is located within 400m radius from metro entry point)		

For existing buildings: the setbacks and heights are indicative, for retrofitting /alteration/ modification changes should not exceed the existing massing.

For existing buildings which are still new and/or in good condition, it is recommended only to add the required front-part of the building (eg. light structure podium) as per indicated set back and build-to-line (which is zero setback) in the plan

BUILDING TYPOLOGY




Al Aaliya Street (Local Street – Primary Pedestrian Link)

LANDSCAPE & ACTIVATE CHAMFER-SIDE AT THE INTERSECTION









Activate chamfer-sides by provision of openings (windows, doors), entrance for people or landscaped gardens

RECOMMENDED ARCHITECTURAL STYLES

Early Modern (Doha - Art Deco)*



Qatari Contemporary Vernacular*





IIIIIII

MIDDLE TOP


STANDARDS

Architectural Theme/ Style	General: Ostari Contomporary			
Architecturai Theme/ Style	 General: Qatari Contemporary Recommended Early Modern (Doha Art Deco) Style for buildings along the streets of: Museum Street; partial segment of Corniche Street (between junction of Ali Bin Amur Al Attiya Str. and junction Jabr Bin Mohammed Str.); A Ring Road Recommended incorporating some Qatari Vernacular Style elements for buildings that face to face with Zone 7 along Jabr Bin Mohammed Str. (* Refer the details to the <u>Townscape &</u> <u>Architectural Guidelines for Main Streets</u> in Qatar) 			
Exterior expression	 Clear building expression of a base, a middle and a top 			
	• The Base Part (podium): should clearly be expressed (eg.with architrave or corniche ornament, should there is no required setback for tower that can distinguish it from the podium)			
	 The Middle Part: Should adopt local rooted architectural language for its elements such as openings, shutters, balconies, bays etc. Should reveal the external expression of each storey 			
	 The Top Part should be marked by parapet or entablature 			
Minimum Building separation	 6 m between two buildings with facing non-habitable rooms 8 m between two buildings with a facing non-habitable room and a facing habitable room 12 m between two buildings with facing habitable rooms 			
Party-Wall / Common Wall	The attached building's parts should have its own wall and foundation and comply to the standard of contruction and fire-safety			
Floor height (maximum)	 Slab to slab height (mid-point): Ground floor: 5 m Ground floor with mezzanine: 6.5 m Typical floors (residential and other): 3.50 m Ground floor ancillary building: 3.50 m 			
Building Orientation	 All the fasade's elements (windows, doors, balcony, bay window, etc) should respect the streets based on their hierarchy. 			

Q A T A R N A T I O N A L M A S T E R P L A N

BLOCK 18-26

	 Primary fasade should orientate to the highway /expressway/ collector/ arterial streets. 		
Active frontage features	Entrances, <i>madkhal</i> , lobbies, window openings, arcades, porches etc		
Active chamfer at the intersection	The chamfer side should be activated by providing main access for people and designing active frontage/fasade or small landscaped area with public facilities such as benches, public art, small lawn area, etc		
Building Material	 Avoid excessive use of glass-wall Use the low environmental impact materials, that conform to ISO 14025, 14040, 14044, and EN 15804 or ISO 21930 		
Window-to-Wall Ratios	Refer to the diagrams		
LANDSCAPE STANDARD			
Forecourt	For buildings along the secondary streets, the forecourts should have small green space for landscape		
Barrier/fences	Street side: not allowed Sides and rear: transparent where possible; maximum height 2.5 m		
Green Roof	50% area of the podium and the roof-top should be landscaped with dominant soft- scape (trees, plants, urban farming etc)		
ACCESSIBILITY STANDAR	RD		
Pedestrian access	 Main building entrances should be oriented to the side indicated on the plan. Pedestrian Access on the plan indicates the side for main pedestrian access, not the approximate location 		
Vehicle egress and in- gress	 Main Vehicular Access on the plan indicates the side and approximate location of the access, subject to site planning and transportation constraints. 		
SIGNAGE			
Style	Signage should be an integral part of the building fasade without background.		
	TTY AND		




Block Regulations Page 3 of 4


WINDOW-TO-WALL RATIOS



40-50% 30-40%

PARKING FORM & LOCATION OPTION





Underground Parking

Integrated Podium Parking

-

-

INCENTIVE

Incentive Scheme

Provision of **Privately Owned Public Space – POPS** such *sikka*, pedestrian walkway, public plaza, pocket garden, and Community Facility: Additional floor area of 5 m2 for every 1 m2 provision, up to maximum 10% of total GFA

Provision of Shared Public Parking:

Additional floor area of 50 m2 for provision of each one (1) shared-car parking space, up to maximum 10% of total GFA

PERMITTED USES TABLE

					_	_	
	Type and category	COM	MUC	MUR	RES	Code	Land Use
1	1 RESIDENTIAL						
1.1	Residential	×	\checkmark	\checkmark	✓	201	Residential Flats / Appartments
2	COMMERCIAL			_			
1.2	Convenience	√	✓	\checkmark	√	301	Food, Beverage & Groceries Shop
1.3	Comparison/Speciality	\checkmark	\checkmark	\checkmark	×		General Merchandise Store
1.4		\checkmark	\checkmark	\checkmark	×		Pharmacy
1.5		\checkmark	\checkmark	\checkmark	×		Electrical / Electronics / Computer Shop
1.6		✓	\checkmark	\checkmark	×		Apparel and Accessories Shop
1.7	Food and Beverage	\checkmark	\checkmark	\checkmark	✓		Restaurant
1.8		√	√	√	~		Bakery
1.9		✓	✓	\checkmark	\checkmark		Café
	Shopping Malls	√	√	×	×		Shopping Mall
1.11	Services/Offices	√	√	√	×	401	
1.12		\checkmark	\checkmark	\checkmark	×		Financial Services and Real Estate
1.13	Defect efettere	 ✓	v x		×		Professional Services
	Petrol stations	v	×	×	×	307	Petrol Station
3	HOSPITALITY					0000	
	Hospitality accommodation	√	1	√	×	2201	
3.2		✓	√	✓	×	2202	Hotel / Resort
4	COMMUNITY FACILITIES						
4.1	Educational	×	✓	✓	\checkmark		Private Kindergarten / Nurseries / Child Care Centers
4.2		\checkmark	✓	√	×		Technical Training / Vocational / Language School / Centers
4.3		×	1	~	×	1021	· · · · · · · · · · · · · · · · · · ·
4.4		×	√	√	×		Girls Qur'anic School
	Health	√	√	√	×		Primary Health Center
4.6		~	√	~	×		Private Medical Clinic
4.7		\checkmark	\checkmark	× √	×		Private Hospital/Polyclinic
4.8 4.9		v √	✓ ✓	×	√ 		Ambulance Station
	Governmental	×	•	×	× ×		Medical Laboratory / Diagnostic Center
4.10	Governmental	×	• √	×	×	1201	Ministry / Government Agency / Authority Municipality
4.11		~	• •	~	×		Post Office
4.12		√	~	✓	✓		Library
	Cultural	·	·	· ✓	×		Community Center / Services
4.15	oundrai	\checkmark	\checkmark	\checkmark	×		Welfare / Charity Facility
4.16		\checkmark	\checkmark	×	×		Convention / Exhibition Center
4.17		\checkmark	\checkmark	\checkmark	\checkmark		Art / Cultural Centers
4.18	Religious	√	\checkmark	\checkmark	×	1406	Islamic / Dawa Center
5	SPORTS AND ENTERTAINN	IENT					
5.1	Open Space & Recreation	~	√	✓	√		Park - Pocket Park
5.2		\checkmark	\checkmark	×	×	1504	
5.3		\checkmark	\checkmark	\checkmark	\checkmark		Civic Space - Public Plaza and Public Open Space
5.4		\checkmark	\checkmark	\checkmark	\checkmark		Green ways / Corridirs
5.5	Sports	×	\checkmark	\checkmark	×	1607	Tennis / Squash Complex
5.6		×	\checkmark	\checkmark	\checkmark		Basketball / Handball / Volleyball Courts
5.7		×	\checkmark	\checkmark	\checkmark		Small Football Fields
5.8		×	\checkmark	\checkmark	\checkmark	1610	Jogging / Cycling Track
5.9		\checkmark	\checkmark	✓	\checkmark		Youth Centre
5.10		×	✓	√	×	1612	Sports Hall / Complex (Indoor)
5.11		~	√	1	√		Private Fitness Sports (Indoor)
5.12		<u> </u>	<u> </u>	<u>√</u>	✓	1613	Swimming Pool
6.1	Special Use	✓	√	×	×		Immigration / Passport Office
6.2		✓	<u>√</u>	×	×		Customs Office
6.3	Tourism	✓	✓	×	×	2203	Museum

QATAR NATIONAL MASTER PLAN

