

ZONING PLAN



USE REGULATIONS



GENERAL USE MIX					
Zoning Category		Commercial Mixed Use Commercial		Mixed Use Residential	Residential
Zoning Code		СОМ	MUC	MUR	RES
Minimum required number of use type*		1	2 2		1
	Commercial Retail, Office	✓ *	$\overline{\mathbf{Z}}$	✓	*
Use Type per	Residential Flats, Apartments	*	✓	*	$\overline{\mathbf{V}}$
Zoning Category	Hospitality Hotels, Serviced Apartments	√ *	✓	√ *	✓
	Complementary (See Permitted Uses Table)	✓	✓	✓	✓
Examples		Mall, souq etc.	Commercial with mixed use, strips	Residential with retail/office, hotels	Residential blocks, towers, houses


Uses mix: ☑ Required; ✓ Allowed; ➤ Not allowed * Allow to be substituted with Hospitality Use Type

USE SPLIT					
MUC: Mixed Use Commercial	Use	Allowed Floor Location	GFA split		
Commercial (retail/office)	✓ *	All	51 % min		
Residential	✓	Tower level	49% max		
Hospitality	✓	All	-		
Complementary (community facilities, sport, etc)	✓	Podium level	20% max		


Uses mix: ☑ Required; ✓ Allowed; ➤ Not allowed
* Allow to be substituted with Hospitality Use Type

SPECIFIC USE REGULATIONS				
Permitted uses	See Permitted Uses Table((page 4)			
Recommended Uses	Type of commercial in MUC: Establishments and offices with goods or services that cater city-wide (ie. main offices) and complementary to the cultural facilities in the Downtown area			
Not permitted uses	All other uses not listed in the General Permitted Uses Table (e.g. garage/car repair/heavy industry etc)			
Active Frontage Uses	Percentage: For marked-sides as Active Frontages, min. 60% frontage required as Active Uses			
	Retail, Shops, Food and Beverage (F&B), Offices, Services, Hotels, Government Offices, Clinics, Community Centres, Libraries, etc			


BLOCK MASSING PLAN max 2/3 plot depth (up to max 15 m) LEGEND: Al Dostour Podium G+1 Policy plan plot




BUILDING ENVELOPE & MASSING ILLUSTRATION




BUILDING TYPOLOGY: ATTACHED-PODIUM AND TOWER



Ras Abu Aboud Street (Arterial Street)





Tower: G+M+10

Podium: G+M+2

Access to rear or

basement

Arcade G+M

parking

Ali Bin Amur Al Attiya Street (Collector Street)


BLOCK FORM REGULATIONS

BULK REGULATIONS				
Uses (as per Zoning Plan)	MUC: Mixed Use Commercial			
Height (max)	Ali Bin Amur Al Attiya Str	43.2 m		
	• G+M+10 (Podium G+M+2)	(max)		
	Al Dostour & Al Ghows Str			
	• G+10 (Podium G+1)	(max)		
	Ras Abu Aboud Street	43.2 m		
	• G+M+10 (Podium G+M+4)	(max)		
FAR (max)	6.60 (along Ali Bin Amur Al Attiya Str.)	(+ 5 % for corner lots)		
	6.10 (along Al Dostour & Al Ghows Street)			
	7.0 (along Ras Abu Aboud Street)			
Building Coverage (max)	75%			
MAIN BUILDINGS				
Typology	Attached-Podium and Tower			
	Ali Bin Amur Al Attiya and Ras Abu Aboud Str.: • Podium: 0 m front; 0 m on sides, up to 2/3 plot depth (max.15 m) & 3 m for the remaining 1/3 plot depth; 6 m rear • Tower: 0m front setback; 3m sides; 6m rear			
	Al Dostour & Al Ghows Street: • Podium: 0 m front; 0 m on sides, up to 2/3 plot depth (max.15 m) & 3 m for the remaining 1/3 plot depth; 3 m rear Tower: 3m front setback; 3m sides; 3m rear			
	Podium: 0 m front; 0 m on 2/3 plot depth (max.15 m) & remaining 1/3 plot depth; 3 in	sides, up to 3 m for the m rear <u>Tower</u> :		
Build to Line (a set building line on a plot, measured parallel from the front and/or corner side plot line, where the structure must be located. The building facade must be located on the build-to line)	Podium: 0 m front; 0 m on 2/3 plot depth (max.15 m) & remaining 1/3 plot depth; 3 in	sides, up to . 3 m for the m rear Tower: 3m rear as Abu terial street): nandatory) % of frontage reet): min. 80%		
(a set building line on a plot, measured parallel from the front and/or corner side plot line, where the structure must be located. The building facade must be located on	Podium: 0 m front; 0 m on 2/3 plot depth (max.15 m) & remaining 1/3 plot depth; 3 is 3m front setback; 3m sides; Ali Bin Amur Al Attiya & Raboud Str (Collector & Ar 100% of 0m front setback (residual of the Al Dostour Street: min. 90 indicated at block plan Al Ghows Street (Local street)	sides, up to . 3 m for the m rear Tower: 3m rear las Abu terial street): nandatory) % of frontage reet): min. 80% k plan		
(a set building line on a plot, measured parallel from the front and/or corner side plot line, where the structure must be located. The building facade must be located on the build-to line)	Podium: 0 m front; 0 m on 2/3 plot depth (max.15 m) & remaining 1/3 plot depth; 3 m front setback; 3m sides; Ali Bin Amur Al Attiya & R Aboud Str (Collector & Ar 100% of 0m front setback (reflected at block plan). Al Ghows Street (Local strong frontage indicated at block plan). The first of frontage indicated at block plan. In (single-aspect tower). In (double-aspect tower). In (podium with integrated plane).	sides, up to . 3 m for the m rear Tower: 3m rear las Abu terial street): nandatory) % of frontage reet): min. 80% k plan		
(a set building line on a plot, measured parallel from the front and/or corner side plot line, where the structure must be located. The building facade must be located on the build-to line) Building Depth (max)	Podium: 0 m front; 0 m on 2/3 plot depth (max.15 m) & remaining 1/3 plot depth; 3 m front setback; 3m sides; Ali Bin Amur Al Attiya & R Aboud Str (Collector & Ar 100% of 0m front setback (real Dostour Street: min. 90 indicated at block plan. Al Ghows Street (Local strong frontage indicated at block plan.) 10 m (single-aspect tower). 15 m (double-aspect tower). 30 m (tower with atrium). 30 m (podium with integrated products of the podium with integrated products.	sides, up to 3 m for the m rear Tower: 3m rear tas Abu terial street): mandatory) % of frontage reet): min. 80% k plan		

Frontage Profile	Ras Abu Aboud & Ali Bin Amur Al Attiya Street: Arcade/ Colonnade: 3 m minimum width (Ras Abu Aboud Street) 2.5 m minimum width (Al Meena Str.) G+M maximum height Located as per drawing Al Dostour Street: Colonnades Al Ghows Street: Fore-court; cantilever/overhang on the ground floor			
Basement; Half- Basement (undercroft)	 Allowed 0 m setbacks 0.5 m maximum height from street level (undercroft) 			
ANCILLARY BUILDINGS				
Height (max)	G			
Setbacks	• Sides: 0 m, up to 2/3 plot depth (max.15 m) & 3 m for the remaining 1/3 plot depth; • Rear: 3 m			
Building Depth (max)	7.5 m			
SITE PLANNING				
Plot Size for Subdivision	Minimum 600 sqm			
Small Plot	 Minimum plot size of 600 sqm will allow to reach G+10 with provision of 1 undercroft and 2 basements provision for car parking. For plot sizes < 600 sqm: <p>Allowed to be developed up to the maximum parameters set in the plan, subject to possibility of providing required parking on site </p> 			
Open Space (min)	5%			
ACCESSIBILITY AND CO	NNECTIVITY			
Pedestrian Entry Point	As indicated in the plan			
Vehicle Access Point	As indicated in the plan			
Recommended Public Access on Private Plot	n/a			
PARKING				
Location	Courtyard, rear ground floor, undercroft, basement, integrated with building			
Required Number of	As per general MSDP Car Parking Regulations			
Spaces				

- All new development should follow the regulations.
 For existing buildings: the setbacks and heights are indicative, for retrofitting /alteration/ modification changes should not exceed the existing massing.
- For existing buildings which are still new and/or in good condition, it is recommended only to add the required front-part of the building (eg. light structure podium) as per indicated set back and build-to-line (which is zero setback) in the plan


BUILDING TYPOLOGY




Al Dostour Street (Local Street – Primary Pedestrian Link)

Al Ghows Street (Local Street)

LANDSCAPE & ACTIVATE CHAMFER-SIDE AT THE INTERSECTION





Provision of green terrace roof garden (min. 50% of the area)


Provision of 'green' on the podiu


Provision of 'green' on the podium & landscaped forecourt (local streets)

Activate chamfer-sides by provision of openings (windows, doors), entrance for people or landscaped gardens

RECOMMENDED ARCHITECTURAL STYLES

Early Modern (Doha - Art Deco)*





Qatari Contemporary Vernacular*






STANDARDS

RCHITECTURAL STANDARD				
Architectural Theme/ Style	General; Early Modern (Doha – Art Deco) or Qatari Contemporary Vernacular Recommended Early Modern (Doha Art Deco) Style for buildings along the streets of: Museum Street; Ali Bin Amur Al Attiya; Jabr Bin Mohammed; A Ring Road- Ras Abou Abboud (* Refer the details to the Townscape & Architectural Guidelines for Main Streets in Qatar)			
Exterior expression	Clear building expression of a base, a middle and a top			
	The Base Part (podium): should clearly be expressed (eg. with architrave or corniche ornament, should there is no required setback for tower that can distinguish it from the podium)			
	The Middle Part: Should adopt local rooted architectural language for its elements such as openings, shutters, balconies, bays etc. Should reveal the external expression of each storey			
	The Top Part should be marked by parapet or entablature			
Minimum Building separation	6 m between two buildings with facing non-habitable rooms 8 m between two buildings with a facing non-habitable room and a facing habitable room 12 m between two buildings with facing habitable rooms			
Party-Wall / Common Wall	The attached building's parts should have its own wall and foundation and comply to the standard of construction and fire-safety			
Floor height (maximum)	Slab to slab height (mid-point): Ground floor: 5 m Ground floor with mezzanine: 6.5 m Typical floors (residential and other): 3.50 m Ground floor ancillary building: 3.50m			
Building Orientation	All the fasade's elements (windows, doors, balcony, bay window, etc) should respect the streets based on their hierarchy. Primary fasade should orientate to the highway /expressway/ collector/ arterial streets.			

Active frontage features	Entrances, <i>madkhal</i> , lobbies, window openings, arcades, porches etc			
Active chamfer at the intersection	The chamfer side should be activated by providing main access for people and designing active frontage/fasade or small landscaped area with public facilities such as benches, public art, small lawn area, etc			
Building Material	Avoid excessive use of glass-wall Use the low environmental impact materials, that conform to ISO 14025, 14040, 14044, and EN 15804 or ISO 21930			
Window-to-Wall Ratios	Refer to the diagrams			
LANDSCAPE STANDARD				
Forecourt	For buildings along the secondary streets, the forecourts should have small green space for landscape			
Barrier/fences	Street side: not allowed Sides and rear: transparent where possible; maximum height 2.5m			
Green Roof	50% area of the podium and the roof-top should be landscaped with dominant soft-scape (trees, plants, urban farming etc)			
ACCESSIBILITY STANDAR	RD			
Pedestrian access	Main building entrances should be oriented to the side indicated on the plan. Pedestrian Access on the plan indicates the side for main pedestrian access, not the approximate location			
Vehicle egress and ingress	Main Vehicular Access on the plan indicates the side and approximate location of the access, subject to site planning and transportation constraints.			
SIGNAGE				
Style	Signage should be an integral part of the building fasade without background.			
:				



WINDOW-TO-WALL RATIOS



PARKING FORM & LOCATION OPTION



Underground Parking

Integrated Podium Parking

INCENTIVE

Incentive Scheme

Provision of **Privately Owned Public Space – POPS** such *sikka*, pedestrian walkway, public plaza, pocket garden, and Community Facility: Additional floor area of 5 m2 for every 1 m2 provision, up to maximum 10% of total GFA

Provision of Shared Public Parking:

Additional floor area of 50 m2 for provision of each one (1) shared-car parking space, up to maximum 10% of total GFA

PERMITTED USES TABLE

	True and astronom:	COM	MUC	MUD	DEC	Cada	Landllan
	Type and category	COM	MUC	MUK	KE9	Code	Land Use
_	RESIDENTIAL					004	D. H. W. Elizi, A.
	Residential	*	√	√	<u>√</u>	201	Residential Flats / Appartments
	COMMERCIAL						
	Convenience	√	✓	√	✓	301	Food, Beverage & Groceries Shop
	Comparison/Speciality	√	√	√	×		General Merchandise Store
1.4		√	√	√	*		Pharmacy
1.5		√	√	√	*		Electrical / Electronics / Computer Shop
1.6	Food and Barraga	<u>√</u>	<u>√</u>	<u> </u>	× ✓		Apparel and Accessories Shop Restaurant
1.7 1.8	Food and Beverage	√	√	✓	√		Bakery
1.9		√	√	√	· ✓		Café
	Shopping Malls	<u> </u>	<u>,</u>	*	<u> </u>		Shopping Mall
	Services/Offices	<u>√</u>	<u>·</u>	<u>√</u>	*	401	Personal Services
1.12	oci vides/offices	√	√	✓	×		Financial Services and Real Estate
1.13		✓	✓	✓	×		Professional Services
	Petrol stations	✓	×	×	×		Petrol Station
3	HOSPITALITY						
_	Hospitality accommodation	√	✓	✓	×	2201	Serviced Apartments
3.2	moophanty accommodation	√	√	✓	×		Hotel / Resort
	COMMUNITY FACILITIES						
	Educational	×	√	√	√	1003	Private Kindergarten / Nurseries / Child Care Centers
4.2	Laucational	√	√	· ✓	*		Technical Training / Vocational / Language School / Centers
4.3		×	✓	✓	×	1021	
4.4		×	✓	✓	×		Girls Qur'anic School
	Health	✓	√	✓	×		Primary Health Center
4.6		\checkmark	\checkmark	\checkmark	×		Private Medical Clinic
4.7		\checkmark	✓	×	×	1104	Private Hospital/Polyclinic
4.8		\checkmark	\checkmark	\checkmark	\checkmark		Ambulance Station
4.9		✓	✓	×	×		Medical Laboratory / Diagnostic Center
	Governmental	×	\checkmark	×	×		
4.11		×	✓.	×	×		Municipality
4.12		√	✓	✓.	×		Post Office
4.13		√	√	√	✓		Library
	Cultural	√	√	√	×		Community Center / Services
4.15		√	√	√	*		Welfare / Charity Facility
4.16		√	√	*	x ✓		Convention / Exhibition Center
4.17	Religious	<u>√</u>	<u>√</u>	<u>√</u>	×		Art / Cultural Centers Islamic / Dawa Center
						1400	Islamic / Dawa Center
	SPORTS AND ENTERTAINM						Ded. Ded. Ded
5.1 5.2	Open Space & Recreation	√	√	√ ×	√	1504	Park - Pocket Park Theatre / Cinema
5.2 5.3		∨	∨ ✓	× /	x ✓	1504	Civic Space - Public Plaza and Public Open Space
5.4		√	√	✓	√		Green ways / Corridirs
	Sports	×	<u>√</u>	<u>√</u>	×	1607	Tennis / Squash Complex
5.6	oports	×	√	· ✓	√		Basketball / Handball / Volleyball Courts
5.7		×	✓	✓	✓	1000	Small Football Fields
5.8		×	✓	✓	✓	1610	Jogging / Cycling Track
5.9		\checkmark	✓	✓	✓		Youth Centre
5.10		×	\checkmark	✓	×		Sports Hall / Complex (Indoor)
5.11		✓	\checkmark	\checkmark	\checkmark		Private Fitness Sports (Indoor)
5.12		✓	✓	✓	✓	<u>1</u> 613	Swimming Pool
6	OTHER						
	Special Use	✓	✓	×	×	2107	Immigration / Passport Office
	•	✓	\checkmark	×	×		Customs Office
6.2							