

GENERAL USE MIX					
Zoning Category		Commercial	Mixed Use Commercial	Mixed Use Residential	Residential
Zoning Code		СОМ	MUC	MUR	RES
Minimum required number of use type*		1	2	2	1
	Commercial:     Retail     Office	<b>7</b>	<b>√</b> **	✓	*
Use Type	Residential (Flats, Apartments)	*	✓	<b>*</b>	<b>A</b>
per Zoning Category	Hospitality (Hotels, Serviced Apartments)	✓	✓	✓	✓
	Secondary/Complementary Uses (Community Facilities, Sport & Entertainment)	~	~	✓	~
See details of Permitted Uses Table in page 4					•


DETAILED USE SPLIT				
MUR: Mixed Use Residential	Uses Mix	GFA Split	Allowed Floor Location	
Commercial**: Commercial-Retail, Commercial-Office	✓	2.50 % max	Ground level, podium & podium level, top floor level	
Residential (Flats, Apartments)	<b>∀</b> *		All	
Hospitality (Hotels, Serviced Apartments)	<b>√</b>	80 % min	All Semi-public /publicly accessible facilities (e.g. commercial space) at ground level, podium & podium level, top floor level	
Secondary/ Complementary Uses	✓	20% max	Podium / Top level	

Uses mix: ☑ Required; ✓ Allowed; ➤ Not allowed;

\* In Mixed Use Residential, the required Residential Use Type can be substituted with Hospitality Use Type (e.g. hotel, serviced apartment);


\*\* In Mixed Use Commercial, mixing between Commercial Uses only (Retail & Office) is allowed and this already fulfils the requirement 2 mix

SPECIFIC USE REGULATIONS				
Permitted uses	See Permitted Uses Table (page 4)			
Recommended Uses	Type of commercial in MUR: Domestic or Local Commercial- Retail (ie.convenient store, hair-dresser, salon, tailor, specialty shop, laundry, bakery, cafe etc)			
Not permitted uses	All other uses not listed in the General Permitted Uses Table (e.g. garage/car repair/heavy industry etc)			
Active Frontage Uses	Percentage: For marked-sides as Active Frontages, min. 60% frontage required as Active Uses			
	Retail, Shops, Food and Beverage (F&B), Offices, Services, Hotels, Government Offices, Clinics, Community Centres, Libraries, etc			



# Ibn Al Furat Street 871 Street 871

## **BUILDING TYPOLOGY: ATTACHED LOW RISE BUILDING & COURTYARD**



#### Interventions for Regeneration Zone:

- 1. For existing old buildings (e.i. traditional vernacular) that still intact and buildings with architectural significance:
  - Retain and upgrade the original and significant characteristics as much as possible (morphology, scale, urban grain, courtyard typology, building foot print, architecture style, etc);
  - o Enhance the original Qatari Vernacular or Early Modern (Doha Art Deco) Style
- Allow partial redevelopment and intensification from the original courtyard houses: max.additional 3 storey (G+4= 5 storey) for minimum plot size of 300 sqm
- 2. For existing early modern buildings with no architectural significance:
- Allow for full-fledge reconstruction/redevelopment up to maximum height, but maintain the courtyard typology (if any) or design a courtyard typology;
- Recreate from the original building's foot-print, as much as possible
- Enhance the original style (whether Qatari Vernacular or Early Modern Style (Doha Art Deco)
- 3. For new development on vacant land:
  - Design a courtyard typology building
  - o Design bulk massing as per regulations
  - o Adopt Qatari Vernacular or Early Modern (Doha Art Deco) Style
- 4. Adaptive re-use


## **BLOCK FORM REGULATIONS**

BULK REGULATIONS					
Uses (as per Zoning Plan)	MUR: Mixed Use Residential				
Height (max) (for plots ≤ 300 sqm, refer to Block Massing Plan)	G+4	20.7 m (max)			
FAR (max) (for plots ≤ 300 sqm, refer to Block Massing Plan)	4.00	(+ 5 % for corner lots)			
Building Coverage (max)	85%				
MAIN BUILDINGS					
Typology	Attached-Low Rise with	Courtyard			
Building Placement	Setbacks as per block plar	1:			
	Main buildings: • 0m front; 0 m side; 0 m	rear			
Build to Line (a set building line on a plot, measured parallel from the front and/or comer side plot line, where the structure must be located. The building facade must be located on the build-to line)	100% of 0 m front setback	(mandatory)			
Building Depth (max)	10 m (single-aspect building) 15 m (double-aspect building)				
Building Size	Fine grain;  10 m maximum building width or length; or  Create a modular external expression of fasade, with maximum 10 m wide, if the building is long stretched				
Primary Active Frontage	As indicated in the plan				
Frontage Profile	Small Fore-court to indicate entrance				
Basement; Half- Basement (undercroft)	Allowed     0 m setbacks     0.5 m maximum height level (undercroft)	from street			
ANCILLARY BUILDINGS	ANCILLARY BUILDINGS				
Height (max)	G				
Setbacks	0 m sides 0 m rear				
Building Depth (max)	7.5 m				

SITE PLANNING					
Plot Size for Subdivision	Minimum 300 sqm				
Small Plot	<ul> <li>Minimum plot size of 300 sqm will allow to reach G+4, with provision of 1 undercroft and 1 basement for car parking.</li> <li>For plot sizes &lt; 300 m2:         <p>Allowed to be developed up to the maximum parameters set in the plan, subject to possibility of providing required parking on site     </p></li> </ul>				
Open Space (min)	5%				
ACCESSIBILITY AND CO	NNECTIVITY				
Pedestrian Entry Point	As indicated in the plan				
Vehicle Access Point	As indicated in the plan				
Recommended Public Access on Private Plot	n/a				
PARKING					
Location	On-site parking/ undercroft/ basement/ podium parking/ Multi-Storey Car Park (MSCP) for plot size > 2000 sqm				
Required Number of Spaces	As per general MSDP Car Parking Regulations				
Parking Waiver	<ul> <li>30% reduction in parking provision requirement;</li> <li>Relaxation for plots ≤ 350 sqm, provided all safety measures are fulfilled as per Qatar Parking Design Manual-QPDM (refer to page 4 for details):         <ol> <li>Allowable stall parking dimension of 2.5m x 5.5 m</li> <li>Allowable single driveway (not ramp) provision of 3.5m width to the rear on-site parking</li> </ol> </li> </ul>				

- All new development should follow the regulations.
- For existing buildings: the setbacks and heights are indicative, for retrofitting /alteration/ modification changes should not exceed the existing massing.
- For existing buildings which are still new and/or in good condition, it is recommended only to add the required frontpart of the building (eg. light structure podium) as per indicated set back and build-to-line (which is zero setback) in the plan


# LANDSCAPE & ACTIVATE CHAMFER-SIDE AT THE INTERSECTION





Provision of 'green' on the landscaped forecourt (local streets) and court-yard (ie.central/sides/rear court-yard) yard)

Provision of green terrace roof garden (min. 50% of the area)



Activate chamfer-sides by provision of openings (windows, doors), entrance for people or landscaped


# RECOMMENDED ARCHITECTURAL STYLES

## Qatari Vernacular\*






# Early Modern (Doha - Art Deco)\*





# WINDOW-TO-WALL RATIOS










# STANDARDS

ARCHITECTURAL STANDARD				
Architectural Theme/ Style	Qatari Vernacular Style or Early Modern (Doha Art Deco), depend on the existing original style			
	(* Refer the details to the <u>Townscape &amp; Architectural Guidelines for Main Streets in Qatar</u> )			
Exterior expression	Clear building expression of a base, a middle and a top			
	The Base Part (Ground Floor):     should clearly be expressed (eg. with architrave or corniche ornament)			
	The Middle Part: Should adopt local rooted architectural language for its elements such as openings, shutters, balconies, bays etc. Should reveal the external expression of each storey			
	The Top Part should be marked by parapet or entablature			
Minimum Building separation	6 m between two buildings with facing non-habitable rooms     8 m between two buildings with a facing non-habitable room and a facing habitable room     12 m between two buildings with facing habitable rooms			
Party-Wall / Common Wall	The attached building's parts should have its own wall and foundation and comply to the standard of construction and fire-safety			
Floor height (maximum)	Slab to slab height (mid-point):     Ground floor: 5 m     Ground floor with mezzanine: 6.5 m     Typical floors (residential and other): 3.50 m     Ground floor ancillary building: 3.50m			
Building Orientation	<ul> <li>All the fasade's elements (windows, doors, balcony, bay window, etc) should respect the streets based on their hierarchy.</li> <li>Primary fasade should orientate to the highway /expressway/ collector/ arterial streets.</li> </ul>			
Active frontage features	Entrances, <i>madkhal</i> , lobbies, window openings, arcades, porches etc			
Active chamfer at the intersection	The chamfer side should be activated by providing main access for people and designing active frontage/fasade			


or small landscaped area with public


	facilities such as benches, public art, small lawn area, etc			
Building Material	Avoid excessive use of glass-wall     Use the low environmental impact materials, that conform to ISO 14025, 14040, 14044, and EN 15804 or ISO 21930			
Window-to-Wall Ratios	Refer to the diagrams			
LANDSCAPE STANDARD				
Forecourt	For buildings along the secondary streets, the forecourts should have small green space for landscape			
Barrier/fences	Street side: not allowed Sides and rear: transparent where possible; maximum height 2.5 m			
Green Roof	50% area of the podium and the roof- top should be landscaped with dominant soft-scape (trees, plants, urban farming etc)			
ACCESSIBILITY STANDAR	RD			
Pedestrian access	<ul> <li>Main building entrances should be oriented to the side indicated on the plan.</li> <li>Pedestrian Access on the plan indicates the side for main pedestrian access, not the approximate location</li> </ul>			
Vehicle egress and in- gress	Main Vehicular Access on the plan indicates the side and approximate location of the access, subject to site planning and transportation constraints.			
SIGNAGE				
Style	Signage should be an integral part of the building fasade without background.			



## **PARKING FORM & LOCATION OPTION**








Parking at rear on small plots ≤ 350 sqm (illustration)

#### Conditional Requirements for Relaxation on Plots ≤ 350 sqm:

- (a) The Owner/Developer to conduct a Parking Safety Audit as per QPDM and implement safety measures as suggested by the Safety Auditor;
- (b) Provide exclusive signage and pavement marking cautioning the motorists and facility users (as per QPDM);
- (c) Guidance on parking operations, accessible parking, pedestrian sidewalk to be adopted as per QPDM.
- (d) The parking facility to be managed by trained security personnel/traffic marshal, where possible;
- (e) Preferable use mechanical, automated, robotic parking systems, where possible;
- (f) Use of Intelligent Transportation System technologies such as Variable Message Signage, etc, where possible.



# INCENTIVE

#### **Incentive Scheme**

Provision of **Privately Owned Public Space – POPS** such *sikka*, pedestrian walkway, public plaza, pocket garden, and Community Facility: Additional floor area of 5 m2 for every 1 m2 provision, up to maximum 10% of total GFA

#### Provision of Shared Public Parking:

Additional floor area of 50 m2 for provision of each one (1) shared-car parking space, up to maximum 10% of total GFA

## PERMITTED USES TABLE

Convenience		Type and category	COM	MUC	MUR	RES	Code	Use
Convenience								-
Comparison/Speciality								
Food and Beverage	AIL							
Food and Beverage		Companioon/opeolanty	<b>✓</b>	<b>√</b>	<b>√</b>			
Food and Beverage			<b>√</b>	✓	<b>√</b>	×		
Shopping Mails			<b>✓</b>	✓	<b>√</b>	×		
Shopping Mails	ET.	Food and Beverage	✓	✓	✓	✓		
Shopping Malls	<u>~</u>	Ğ	✓	✓	✓	✓		
Services/Offices			✓	✓	✓	✓	313	Café
V		<b>Shopping Malls</b>	✓	✓	×	×	314	Shopping Mall
Residential			✓	×	×	*		
Residential	CE	Services/Offices				×		
Residential	Η̈́			·		×		
Hospitality accommodation	О		<b>✓</b>	✓	✓		-	Professional Services
Hospitality accommodation						RESI		
Hospitality accommodation		Residential	×	✓	✓	✓	201	Residential Flats / Apartments
						HOSF		
February   Complemental		Hospitality accommodation		✓	✓	×	2201	Serviced Apartments
February   February			✓	✓	✓	×	2202	Hotel / Resort
			=	SI	ECOND	ARY / (	COMPLE	MENTARY
		Educational	×					
Health			✓	✓	✓	×		
Health			×	✓	✓	×		
V			×	✓	✓	×	1022	Girls Qur'anic School
Cultural		Health	✓	✓	✓	×	1102	Primary Health Center
Cultural	ES		✓	✓	✓	×		
Cultural	5		✓	✓	×	×		
Cultural	CI		✓	✓	✓	✓		
Cultural	FΑ		✓	✓	×	×	1106	Medical Laboratory / Diagnostic Center
Cultural	I	Governmental	×	✓	×	×		
Cultural	N		×	✓	×	×		
Cultural	M		✓	✓	✓	×		
Cultural	O		✓	✓	✓	✓	1209	Library
V V X X X   1303   Convention / Exhibition Center	0	Cultural	✓	✓	✓	×	1301	Community Center / Services
V			✓	✓	✓	×		
Name			✓	✓	×	×	1303	Convention / Exhibition Center
Park - Pocket Park   Park - Pocket Park			✓	✓	✓	✓	1304	Art / Cultural Centers
V		Religious	✓	✓	✓	×	1406	Islamic / Dawa Center
Special Use   y  x  x  2107   Immigration / Passport Office  y  x  x  2108   Customs Office	Τ	Open Space & Recreation	✓	✓	✓	✓		Park - Pocket Park
Special Use   y  x  x  2107   Immigration / Passport Office  y  x  x  2108   Customs Office	EN		✓	✓	×	×	1504	Theatre / Cinema
Special Use   y  x  x  2107   Immigration / Passport Office  y  x  x  2108   Customs Office	N		✓	✓	✓	✓		Civic Space - Public Plaza and Public Open Space
Special Use   y  x  x  2107   Immigration / Passport Office  y  x  x  2108   Customs Office	I.		✓	✓	✓	✓		Green ways / Corridirs
Special Use   y  x  x  2107   Immigration / Passport Office  y  x  x  2108   Customs Office	R	Sports	×	✓	✓	×	1607	Tennis / Squash Complex
Special Use   y  x  x  2107   Immigration / Passport Office  y  x  x  2108   Customs Office	Ę	•	×	✓	✓	✓	1609	Basketball / Handball / Volleyball Courts
Special Use   y  x  x  2107   Immigration / Passport Office  y  x  x  2108   Customs Office	Ē		×	✓	✓	✓		
Special Use   y  x  x  2107   Immigration / Passport Office  y  x  x  2108   Customs Office	ND		×	✓	✓	✓		
Special Use   y  x  x  2107   Immigration / Passport Office  y  x  x  2108   Customs Office	SA		<b>✓</b>	✓		✓	1611	Youth Centre
Special Use   y  x  x  2107   Immigration / Passport Office  y  x  x  2108   Customs Office	RT		×				1612	Sports Hall / Complex (Indoor)
Special Use   y  x  x  2107   Immigration / Passport Office  y  x  x  2108   Customs Office	PO		<b>✓</b>					
✓ ✓ × × 2108 Customs Office	S		<b>✓</b>	<b>✓</b>	✓	✓	1613	Swimming Pool
✓         ✓         ×         ≥ 2108         Customs Office           Tourism         ✓         ×         ×         2203         Museum	H.	Special Use	<b>✓</b>	✓	×	×		
○ Tourism	出		<b>√</b>	<b>√</b>	×	×		
	0	Tourism	✓	✓	×	×	2203	Museum

- Supporting uses serves only to the primary use should not be regarded as a separate use. Therefore, their floor area calculation should be included in the GFA of the primary use (e.g. gym facility for residents in an apartment building should be calculated in the Residential GFA, or facilities of a hotel for gue sts should be calculated in Hospitality GFA).
- Unlisted uses in the table are categorised as non-permitted uses, especially the hazardous/ polluted uses (e.g car repair shops, industries, polluted-workshops, etc).
- Similar uses to the permitted uses in the table will be regarded as conditional cases